

Bibliografie zur Wiedereinbürgerung der Pflanzen

Reintroduction of plants – a bibliography

Martin Diekmann & Cecilia Dupré

Vegetationsökologie und Naturschutzbiologie / *Vegetation Ecology & Conservation Biology*
FB 2 (Biologie / Chemie)
Universität Bremen
Leobener Str.
Gebäude NW 2
28359 Bremen
Germany
tel +49 421 21862920
fax +49 421 21862929
<http://www.uni-bremen.de/vegetation> / <http://www.uni-bremen.de/en/vegetation.html>
emails: mdiekman@uni-bremen.de & dupre@uni-bremen.de

Diese Bibliographie umfasst weitestgehend alle uns zugänglichen, deutsch- oder englischsprachigen Veröffentlichungen zu Wiedereinbürgerungen von Pflanzen, sowie einige in anderen Sprachen abgefassten Publikationen. Zudem sind einige unveröffentlichte Berichte aufgeführt; wenn diese über eine Internet-Seite verfügbar sind, wurde dies mit einem Sternchen (*) vor der Referenz gekennzeichnet. Die Publikationen sind thematisch grob unterteilt; die sich auf konkrete Art-Projekte beziehenden Veröffentlichungen wurden geographisch zunächst nach Kontinenten und innerhalb Europas nach Ländern geordnet.

This bibliography of publications about the reintroduction of plants mainly includes books and articles in English and German, to a lesser extent papers written in other languages. Also some unpublished reports are listed; if these are available via Internet they are marked with an asterisk (*). The references are assigned to different subjects. Publications on species-specific reintroduction projects are ordered by continent and within Europe by country.

Inhaltsverzeichnis / Contents

Allgemein / General	3
Genetik / Genetics	10
Standörtliche Eignung / Habitat suitability	12
Global	13
Afrika / Africa	13
Amerika / America	13
Asien / Asia	21
Australien & Neuseeland / Australia & New Zealand	22
Europa / Europe	24
Belgien / Belgium	24
Deutschland / Germany	24
Estland / Estonia	28
Frankreich / France	28
Großbritannien / United Kingdom	29
Irland / Ireland	31
Italien / Italy	31
Luxemburg / Luxembourg	33
Niederlande / Netherlands	33
Norwegen / Norway	33
Österreich / Austria	33
Polen / Poland	33
Schweden / Sweden	33
Schweiz / Switzerland	34
Serbien / Serbia	34
Spanien / Spain	34
Tschechien / Czech Republic	34

Allgemein / General

- Abeli, T., S. E. Dalrymple, A. Mondoni, S. Orsenigo, and G. Rossi. 2014. Integrating a biogeographical approach into assisted colonization activities is urgently needed. *Plant Biosystems* 148: 1355-1357.
- Akeroyd, J., and P. W. Jackson. 1995. A handbook for botanic gardens on the reintroduction of plants to the wild. BGCI, Richmond Surrey, UK.
- Albrecht, M. A., E. O. Guerrant Jr., J. Maschinski, and K. L. Kennedy. 2011. A long-term view of rare plant reintroduction. *Biological Conservation* 144: 2557-2558.
- Albrecht, M. A., and J. Maschinski. 2012. Influence of founder population size, propagule stages, and life history on the survival of reintroduced plant populations. In: Maschinski, J., and K. E. Haskins (Eds.), *Plant reintroduction in a changing climate: Promises and perils*, pp. 171-188. Center for Plant Conservation. Island Press, Washington, DC, US.
- Allen, W. H. 1994. Reintroduction of endangered plants. *BioScience* 44: 65-68.
- Armstrong, D. P., and P. J. Seddon. 2007. Directions in reintroduction biology. *Trends in Ecology & Evolution* 23: 20-25.
- Austin, J. 2004. *Ex situ conservation and translocations in species recovery: Toward a national policy and guidelines for Canada*. Canadian Wildlife Service, Environment, Canada.
- Bell, T. J., K. I. Powell, and M. L. Bowles. 2013. Viability model choice affects projection accuracy and reintroduction decisions. *The Journal of Wildlife Management* 77: 1104-1113.
- Berg, K. S. 1996. Rare plant mitigation: a policy perspective. In: Falk, D. A., C. I. Millar, and M. Olwell (Eds.), *Restoring diversity: Strategies for reintroduction of endangered plants*, pp. 279-292. Island Press, Washington.
- Berger, J. J. 1993. Ecological restoration and non indigenous plant species: A review. *Restoration Ecology* 1: 74-82.
- Birkinshaw, C. R. 1991. Guidance notes for translocating plants as part of recovery plans. Nature Conservancy Council, CSD Report. Nature Conservancy Council, Peterborough.
- Bowles, M. L., and C. G. Whelan (Eds.). 1994. *Restoration of endangered species*. Cambridge University Press, Cambridge.
- Bramwell, D. 1991. Botanic gardens in conservation: reintroduction into the wild. In: V. H. Heywood, and P. S. Wyse-Jackson (Eds.), *Tropical botanic gardens. Their role in conservation and development*. Academic Press, London, UK.
- Brooker, R., A. Britton, A. Gimona, J. Lennon, and N. Littlewood. 2011. Literature review: species translocation as a tool for biodiversity conservation during climate change. Scottish Natural Heritage Commissioned Report.
- Buckley, G. P. (Ed.) 1989. *Biological habitat reconstruction*. Belhaven Press, London and New York.
- Bullock, J. M., K. A. Hodder, S. J. Manchester, and M. J. Stevenson. 1996. Review of information, policy and legislation on species translocation. JNCC Report Joint Nature Conservation Committee, Peterborough, UK.
- Bullock, J. M., and K. H. Hodder. 1997. Reintroductions: Challenges and lessons for basic ecology. *Trends in Ecology & Evolution* 12: 68-69.
- Camacho, A. 2010. Assisted migration: Redefining nature and natural resource law under climate change. *Yale Journal of Regulation* 27: 171-255.
- Center for Plant Conservation. 1996. Guidelines for developing a rare plant reintroduction plan. In: Falk, D. A., C. I. Millar, and M. Olwell (Eds.), *Restoring diversity: Strategies for reintroduction of endangered plants*, pp. 453-490. Island Press, Washington DC, US.

- Conant, S. 1988. Saving endangered species by translocation: Are we tinkering with evolution? *BioScience* 38: 254-257.
- *Convention on Biological Diversity. Global strategy for plant conservation. (<http://www.cbd.int/gspc/strategy.shtml>, 8 January 2016)
- Dalrymple, S. E., E. Banks, G. B. Stewart, and A. S. Pullin. 2012. A meta-analysis of threatened plant reintroductions from across the Globe. In: Maschinski, J., and K. E. Haskins (Eds.), *Plant reintroduction in a changing climate: Promises and perils*, pp. 31-50. Center for Plant Conservation. Island Press, Washington, DC, US.
- Dalrymple, S. E., and A. Moehrensclager. 2013. "Words matter." A response to Jørgensen's treatment of historic range and definitions of reintroduction. *Restoration Ecology* 21: 156-158.
- *Dalrymple, S. E., G. B. Stewart, and A. S. Pullin. 2011. Are re-introductions an effective way of mitigating against plant extinction? CEE review. Collaboration for Environmental Evidence Library. (<http://www.environmentalevidence.org/completed-reviews/are-re-introductions-an-effective-way-of-mitigating-against-plant-extinctions>, 8 January 2016)
- *Das nationale Daten- und Informationszentrum der Schweizer Flora. Empfehlungen für eine sachgerechte Ex situ-Kultur und Wiederansiedlung bedrohter einheimischer Wildpflanzenarten (1997, 2008 z.T. angepasst). (https://www.infoflora.ch/de/assets/content/documents/conservation_divers_D_F/Empfehlungen_Ex%20situ_D.pdf, 8 January 2016)
- Davidson, I., and C. Simkanin. 2008. Skeptical of assisted colonization. *Science* 322: 1048-1049.
- Diekmann, M., J. Müller, T. Heinken, and C. Dupré. 2015. Wiederansiedlungen von Gefäßpflanzenarten in Deutschland – eine Übersicht und statistische Auswertung. *Tuexenia* 35: 249-265.
- Elias, T., and J. R. Nelson (Eds.) 1987. *Conservation and management of rare and endangered plants*. California Native Plant Society, California, US.
- Fahselt, D. 1988. The danger of transplantation as a conservation technique. *Natural Areas Journal* 8: 238-243.
- Fahselt, D. 2007. Is transplanting an effective means of preserving vegetation? *Canadian Journal of Botany* 85: 1007-1017.
- Falk, D. A., C. I. Millar, and M. Olwell (Eds.) 1996. *Restoring diversity: Strategies for reintroduction of endangered plants*. Island Press, Washington DC, US.
- Falk, D. A., and P. Olwell. 1992. Scientific and policy considerations in restoration and reintroduction of endangered species. *Rhodora* 94: 287-315.
- Fiedler, P. L., and S. K. Jain (Eds.) 1992. *Conservation biology: the theory and practice of nature conservation, preservation, and management*. Chapman and Hall, New York, US.
- Fiedler, P. L., and R. D. Laven. 1996. Selecting reintroduction sites. In: Falk, D. A., C. I. Millar, and M. Olwell (Eds.), *Restoring diversity: Strategies for reintroduction of endangered plants*, pp. 157-170. Island Press, Washington DC, US.
- Godefroid, S., C. Piazza, G. Rossi, S. Buord, A.-D. Stevens, R. Agurajua, C. Cowell, C. W. Weekley, G. Vogg, J. M. Iriondo, I. Johnson, B. Dixon, D. Gordon, S. Magnanon, B. Valentin, K. Bjureke, R. Koopman, M. Vicens, M. Virevaire, and T. Vanderborcht. 2011. How successful are plant species reintroductions? *Biological Conservation* 144: 672-682.
- Godefroid, S., and T. Vanderborcht. 2011. Plant reintroductions: the need for a global database. *Biodiversity and Conservation* 20: 3683-3688.
- Gorbunov, Y. N., D. S. Dzybov, Z. E. Kuzmin, and I. A. Smirnov 2008. Methodological recommendations for botanic gardens on the reintroduction of rare and threatened plants. Grif & Co, Tula, Russland.

- Gordon, D. R. 1994. Translocation of species into conservation areas: a key for natural resource managers. *Natural Areas Journal* 14: 31-37.
- Gordon, D. R., and C. Gantz. 2008. Screening new plant introductions for potential invasiveness: A test of impacts for the United States. *Conservation Letters* 1: 227-235.
- Guerrant, E. O. Jr. 1996. Designing populations. In: Falk, D. A., C. I. Millar, and M. Olwell (Eds.), *Restoring diversity: Strategies for reintroduction of endangered plants*, pp. 171-207. Island Press, Washington DC, US.
- Guerrant, E. O. Jr. 2012. Characterizing two decades of rare plant reintroduction. In: Maschinski, J., and K. E. Haskins (Eds.), *Plant reintroduction in a changing climate: Promises and perils*, pp. 9-29. Center for Plant Conservation. Island Press, Washington, DC, US.
- Guerrant, E. O. Jr. 2013. The value and propriety of reintroduction as a conservation tool for rare plants. *Environmental Science and Management Faculty, Publications and Presentations Paper* 33: 1-27.
- Guerrant, E. O. Jr., M. A. Albrecht, and S. E. Dalrymple. 2012. Studies used for meta-analyses. In: Maschinski, J., and K. E. Haskins (Eds.), *Plant reintroduction in a changing climate: Promises and perils*, pp. 307-317. Center for Plant Conservation. Island Press, Washington, DC, US.
- Guerrant, E. O. Jr., and P. L. Fiedler. 2004a. In: Guerrant, E. O. Jr., K. Havens, and M. Maunder (Eds.), *Ex situ plant conservation: Supporting species survival in the wild*, pp. 365-385. Island Press, Washington, US.
- Guerrant, E. O. Jr., K. Havens, and M. Maunder (Eds.) 2004. *Ex situ plant conservation: Supporting species survival in the wild*. Island Press, Washington, US.
- Guerrant, E. O. Jr., and T. N. Kaye. 2007. Reintroduction of rare and endangered plants: common factors, questions and approaches. *Australian Journal of Botany* 55: 362-370.
- Guerrant, E. O. Jr., and B. M. Pavlik. 1998. Reintroduction of rare plants: Genetics, demography, and the role of ex situ conservation methods. In: Fiedler, P. L., and P. Kareiva (Eds.), *Conservation biology for the coming decade*, pp 80-108. Chapman and Hall, New York, US.
- Harris, S., J. Shaw, and N. Crane. 2009. Planning the integration of ex situ plant conservation in Tasmania. *Cunninghamia* 11: 123-130.
- Haskins, K. E., and B. G. Keel. 2012. Managed relocation: Panacea or Pandemonium? In: Maschinski, J., and K. E. Haskins (Eds.), *Plant reintroduction in a changing climate: Promises and perils*, pp. 229-241. Center for Plant Conservation. Island Press, Washington, DC, US.
- Haskins, K. E., and V. Pence. 2012. Transitioning plants to new environments: Beneficial applications of soil microbes. In: Maschinski, J., and K. E. Haskins (Eds.), *Plant reintroduction in a changing climate: Promises and perils*, pp. 89-107. Center for Plant Conservation. Island Press, Washington, DC, US.
- Havens, K., P. Vitt, M. Maunder, E. O. Guerrant, and K. Dixon. 2006. Ex situ plant conservation and beyond. *BioScience* 56: 525-531.
- Hedberg, P., and W. Kotowski. 2010. New nature by sowing? The current state of species introduction in grassland restoration, and the road ahead. *Journal for Nature Conservation* 18: 304-308.
- Hobbs, R. J. 2007a. Managing plant populations in fragmented landscapes: restoration or gardening? *Australian Journal of Botany* 55: 371-374.
- Hobbs, R. J. 2007b. Setting effective and realistic restoration goals: Key directions for research. *Restoration Ecology* 15: 354-357.
- Hodder, K. H., and J. M. Bullock. 1997. Translocations of native species in the UK: Implications for biodiversity. *Journal of Applied Ecology* 34: 547-565.

- Hoegh-Guldberg, O., L. Hughes, S. McIntyre, D. B. Lindenmayer, C. Parmesan, H. P. Possingham, and C. D. Thomas. 2008. Assisted colonization and rapid climate change. *Science* 321: 345-346.
- Huang, D. 2008. Assisted colonization won't help rare species. *Science* 322: 1049.
- Hubbart, L., B. Ertter, A. Dennis, and C. C. Baskin. 2001. Statement opposing transplantation as mitigation for impact to rare plants. *Fremontia* 29: 66-67.
- Hunter, M. L., Jr. 2007. Climate change and moving species: furthering the debate on assisted colonization. *Conservation Biology* 21: 1356-1358.
- IUCN. 1998. Guidelines for reintroductions. Prepared by IUCN/SSC Re-introduction Specialist Group, Gland, Switzerland and Cambridge, UK.
- *IUCN/SSC. 2013. Guidelines for reintroductions and other conservation translocations. Version 1.0. IUCN Species Survival Commission, Gland, Switzerland. (<https://portals.iucn.org/library/efiles/edocs/2013-009.pdf>, 8 January 2016)
- Jackson, S. T., and R. J. Hobbs. 2009. Ecological restoration in the light of ecological history. *Science* 325: 567-568.
- Jørgensen, D. 2011. What's history got to do with it? A response to Seddon's definition of reintroduction. *Restoration Ecology* 19: 705-708.
- Jusaitis, M. 1997. Experimental translocations: Implications for the recovery of endangered plants. In: Touchell, D. H., K. W. Dixon, A. S. George, and A. T. Wills (Eds.), *Conservation into the 21st century (Proceedings of the 4th International Botanical Gardens Conservation Congress)*, pp. 181-196. Kings Park & Botanic Gardens, Perth, Australia.
- Jusaitis, M., and J. Val. 1997. Herbivore grazing: An important consideration in plant translocations. *Re-introduction News* 11-12.
- Kaye, T. N. 2008. Vital steps toward success of endangered plant reintroductions. *Native Plants Journal* 9: 313-322.
- Kaye, T. N. 2011. Toward successful reintroductions: the combined importance of species traits, site quality, and restoration technique. *Proceedings of the CNPS Conservation Conference*, 17-19 Jan 2009: 99-106.
- Kennedy, K., M. A. Albrecht, E. O. Guerrant Jr., S. E. Dalrymple, J. Maschinski, and K. E. Haskins. 2012. Synthesis and future directions. In: Maschinski, J., and K. E. Haskins (Eds.), *Plant reintroduction in a changing climate: Promises and perils*, pp. 265-275. Center for Plant Conservation. Island Press, Washington, DC, US.
- Kiehl, K. 2010. Plant species introduction in ecological restoration: Possibilities and limitations. *Basic and Applied Ecology* 11: 281-284.
- Kiehl, K., A. Kirmer, T. W. Donath, L. Rasran, and N. Hölzel. 2010. Species introduction in restoration projects – Evaluation of different techniques for the establishment of semi-natural grasslands in Central and Northwestern Europe. *Basic and Applied Ecology* 11: 285-299.
- Kienberg, O., L. Thill, H. Baumbach, and T. Becker. 2014. A method for selecting plant species for reintroduction purpose: A case-study on steppe grassland plants in Thuringia (Germany). *Tuexenia* 34: 467-488.
- Knight, T. M. 2012. Using population viability analysis to plant reintroductions. In: Maschinski, J., and K. E. Haskins (Eds.), *Plant reintroduction in a changing climate: Promises and perils*, pp. 155-169. Center for Plant Conservation. Island Press, Washington, DC, US.
- Kreyling, J., T. Bittner, A. Jaeschke, A. Jentsch, M. Jonas Steinbauer, D. Thiel, and C. Beierkuhnlein. 2011. Assisted colonization: A question of focal units and recipient localities. *Restoration Ecology* 19: 433-440.
- Lambinon, J. 1997. *Introduction of non-native plants into the natural environment*. Council of Europe Press, Strasbourg, France.

- Lippitt, L., M. W. Fidelibus, and D. A. Bainbridge. 1994. Native seed collection, processing, and storage for revegetation projects in the Western United States. *Restoration Ecology* 2: 120-131.
- Lipsey, M. K., and M. F. Child. 2007. Combining the fields of reintroduction biology and restoration ecology. *Conservation Biology* 21: 1387-1390.
- Lubow, B. C. 1996. Optimal translocation strategies for enhancing stochastic metapopulation viability. *Ecological Applications* 6: 1268-1280.
- McDonald-Madden, E., M. C. Runge, H. P. Possingham, and T. G. Martin. 2011. Optimal timing for managed relocation of species faced with climate change. *Nature Climate Change* 1: 261-265.
- Maschinski, J., M. A. Albrecht, L. Monks, and K. E. Haskins. Center for Plant Conservation best reintroduction practice guidelines. In: Maschinski, J., and K. E. Haskins (Eds.), *Plant reintroduction in a changing climate: Promises and perils*, pp. 277-306. Center for Plant Conservation. Island Press, Washington, DC, US.
- Maschinski, J., and K. E. Haskins (Eds.) 2012. *Plant reintroduction in a changing climate: Promises and perils*. Center for Plant Conservation. Island Press, Washington, DC, US.
- Maschinski, J., S. J. Wright, and C. Lewis. 2012. The critical role of the public: Plant conservation through volunteer and community outreach projects. In: Maschinski, J., and K. E. Haskins (Eds.), *Plant reintroduction in a changing climate: Promises and perils*, pp. 53-69. Center for Plant Conservation. Island Press, Washington, DC, US.
- Maunder, M. 1992. Plant reintroduction: an overview. *Biodiversity & Conservation* 1: 51-61.
- Maunder, M., and M. Ramsey. 1994. The reintroduction of plants to the wild: an integrated approach to the conservation of native plants. In: Perry, A. R., and R. Gwynn Ellis (Eds.), *The common ground of wild and cultivated plants*, pp. 81-88. National Museum of Wales, Cardiff, UK.
- McLachlan, J. S., J. J. Hellmann, and M. W. Schwartz. 2007. A framework for debate of assisted migration in an era of climate change. *Conservation Biology* 21: 297-302.
- McMahan, L. R. 1990. Propagation and reintroduction of imperiled plants, and the role of botanical gardens and arboreta. *Endangered Species Update* 8: 4-7.
- Menges, E. S. 2008. Restoration demography and genetics of plants: when is a translocation successful? *Australian Journal of Botany* 56: 187-196.
- Menges, E. S., E. O. Guerrant Jr., and S. Hamzé. 2004. Effects of seed collection on the extinction risk of perennial plants. In: Guerrant, E. O. Jr., K. Havens, and M. Maunder (Eds.), *Ex situ plant conservation: Supporting species survival in the wild*, pp. 305-324. Island Press, Washington, US.
- Miller, B., R. Reading, C. Conway, J. A. Jackson, M. Hutchins, N. Snyder, S. Forrest, J. Frazier, and S. Derrickson. 1994. A model for improving endangered species recovery programs. *Environmental Management* 18: 637-645.
- Milton, S. J., W. J. Bond, M. A. Du Plessis, D. Gibbs, C. Hilton-Taylor, H. P. Linder, L. Raitt, J. Wood, and J. S. Donaldson. 1999. A protocol for plant conservation by translocation in threatened lowland Fynbos. *Conservation Biology* 13: 735-743.
- Minteer, B. A., and J. P. Collins. 2010. Move it or lose it? The ecological ethics of relocating species under climate change. *Ecological Applications* 20: 1801-1804.
- Monks, L. 2002. Assessing translocation success. *Danthonia* 11 (2): 2-3.
- Monks, L., D. Coates, T. Bell, and M. Bowles 2012. Determining success criteria for reintroductions of threatened long-lived plants. In: Maschinski, J., and K. E. Haskins (Eds.), *Plant reintroduction in a changing climate: Promises and perils*, pp. 189-208. Center for Plant Conservation. Island Press, Washington, DC, US.

- Münzbergová, Z., M. Mildén, J. Ehlén, and T. Herben. 2005. Population viability and reintroduction strategies: A spatially explicit landscape-level approach. *Ecological Applications* 15: 1377-1386.
- *North Carolina Plant Conservation Program Scientific Committee. 2015. North Carolina plant conservation program rare plant reintroduction, augmentation, and transplantation guidelines. (<http://ncbg.unc.edu/uploads/files/Reintroductionguidelines.pdf>, 8 January 2016)
- Palmer, M. A. 1996. A strategic approach to the conservation of plants in the United Kingdom. *Journal of Applied Ecology* 33: 1231-1240.
- Pavlik, B. M. 1996. Defining and measuring success. In: Falk, D. A., C. I. Millar, and M. Olwell (Eds.), *Restoring diversity: Strategies for the reintroduction of endangered plants*, pp. 127-155. Island Press, Washington, DC, US.
- Pearman, D. A., and K. Walker, 2004. Rare plant introduction in the UK: Creative conservation or wildflower gardening? *British Wildlife* 15: 174-182.
- Pegtel, D. M. 1998. Rare vascular plant species at risk: recovery by seeding? *Applied Vegetation Science* 1: 67-74.
- Pérez, I., J. D. Anadón, M. Díaz, G. G. Nicola, J. L. Tella, and A. Giménez. 2012. What is wrong with current translocations? A review and a decision-making proposal. *Frontiers in Ecology* 10: 494-501.
- Pheloung, P., P. A. Williams, and S. R. Halloy. 1999. A weed risk assessment model for use as a biosecurity tool evaluating plant introductions. *Journal of Environmental Management* 57: 239-251.
- Primack, R. B., and B. Drayton. 1997. The experimental ecology of reintroduction. *Plant Talk* 11: 25-28.
- Primack, R. B., and B. Drayton. 2011. Editorial: An important review of plant reintroductions. *Biological Conservation* 144: 666.
- Pywell, R. F., J. M. Bullock, D. B. Roy, L. I. Z. Warman, K. J. Walker, and P. Rothery. 2003. Plant traits as predictors of performance in ecological restoration. *Journal of Applied Ecology* 40: 65-77.
- Ramsay, M. M., and K. W. Dixon. 2003. Propagation science, recovery and translocation of terrestrial orchids. In: K. W. Dixon, S. P. Kell, R. L. Barrett, and P. J. Cribb (Eds.), *Orchid conservation*, pp. 259-288. Natural History Publication, Borneo, Malaysia.
- Reading, R. P., T. W. Clark, and B. Griffith. 1997. The influence of valuational and organizational considerations on the success of rare species translocations. *Biological Conservation* 79: 217-225.
- Reichard, S., H. Liu, and C. Husby. 2012. Is managed relocation of rare plants another pathway for biological invasions? In: Maschinski, J., and K. E. Haskins (Eds.), *Plant reintroduction in a changing climate: Promises and perils*, pp. 243-261. Center for Plant Conservation. Island Press, Washington, DC, US.
- Reinartz, J. A. 1995. Planting state-listed endangered and threatened plants. *Conservation Biology* 9: 771-781.
- Ricciardi, A., and D. Simberloff. 2009a. Assisted colonization is not a viable conservation strategy. *Trends in Ecology & Evolution* 24: 248-253.
- Ricciardi, A., and D. Simberloff. 2009b. Assisted colonization: Good intention and dubious risk assessment. *Trends in Ecology & Evolution* 24: 476-477.
- Richardson, D. M., J. J. Hellmann, J. S. McLachlan, D. F. Sax, M. W. Schwartz, P. Gonzalez, E. J. Brennan, A. Camacho, T. L. Root, O. E. Sala, S. H. Schneider, D. M. Ashe, J. R. Clark, R. Early, J. R. Ettlerson, E. D. Fielder, J. L. Gill, B. A. Minter, S. Polasky, H. D. Safford, A. R. Thompson, and M. Vellend. 2009. Multidimensional evaluation of managed relocation. *Proceedings of the National Academy of Sciences USA* 106: 9721-9724.

- Rossi, G., C. Amosso, S. Orsenigo, and T. Abeli. 2013. Linee Guida per la traslocazione di specie vegetali spontanee. *Quanderni Conservazione della Natura* 38.
- *Rossi, G., and V. Dominione. Linee guida per gli interventi di reintroduzione di specie vegetali rare ed in pericolo di estinzione. (http://www-3.unipv.it/labecove/conservazione/linee%20guida_reintroduzioni.pdf, 8 January 2016)
- Safford, H. D., J. J. Hellmann, J. McLachlan, D. F. Sax, and M. W. Schwartz. 2009. Managed relocation of species: Noah's Ark or Pandora's Box? *Eos Transactions American Geophysical Union* 90: 15.
- Sarrazin, F., and R. Barbault. 1997. Reintroductions: Challenges and lessons for basic ecology - reply. *Trends in Ecology & Evolution* 12: 69-69.
- Sax, D. F., K. F. Smith, and A. R. Thompson. 2009. Managed relocation: a nuanced evaluation is needed. *Trends in Ecology & Evolution* 24: 472-473.
- Schemske, D. W., B. C. Husband, M. H. Ruckelshaus, C. Goodwillie, I. M. Parker, and J. G. Bishop. 1994. Evaluating approaches to the conservation of rare and endangered plants. *Ecology* 75: 584-606.
- Schlaepfer, M. A., W. D. Helenbrook, K. B. Searing, and K. T. Shoemaker. 2009. Assisted colonization: Evaluating contrasting management actions (and values) in the face of uncertainty. *Trends in Ecology & Evolution* 24: 471-472.
- Schwartz, M. W., J. J. Hellmann, and J. S. McLachlan. 2009. The precautionary principle in managed relocation is misguided advice. *Trends in Ecology & Evolution* 24: 474.
- Schwartz, M. W., J. J. Hellmann, J. S. McLachlan, D. F. Sax, J. O. Borevitz, J. Brennan, A. E. Camacho, G. Ceballos, J. R. Clark, H. Doremus, R. Early, J. R. Etterson, D. Fielder, J. L. Gill, P. Gonzalez, N. Green, L. Hannah, D. W. Jamieson, D. Javeline, B. A. Minter, J. Odenbaugh, S. Polasky, D. M. Richardson, T. L. Root, H. D. Safford, O. Sala, S. H. Schneider, A. R. Thompson, J. W. Williams, M. Vellend, P. Vitt, and S. Zellmer. 2012. Managed relocation: Integrating the scientific, regulatory, and ethical challenges. *BioScience* 62: 732-743.
- Seddon, P. J. 1999. Persistence without intervention: assessing success in wildlife reintroductions. *Trends in Ecology & Evolution* 14: 503.
- Seddon, P. J. 2010. From reintroduction to assisted colonization: Moving along the conservation translocation spectrum. *Restoration Ecology* 18: 796-802.
- Seddon, P. J., D. P. Armstrong, and R. F. Maloney. 2007. Developing the science of reintroduction. *Conservation Biology* 21: 303-312.
- Seddon, P. J., D. P. Armstrong, P. Soorae, F. Launay, S. Walker, C. R. Ruiz-Miranda, S. Molur, H. Koldeway, and D. G. Kleiman. 2009. The risks of assisted colonization. *Conservation Biology* 23: 788-789.
- Sheean, V. A., A. D. Manning, and D. B. Lindenmayer. 2012. An assessment of scientific approaches towards species relocations in Australia. *Austral Ecology* 37: 204-215.
- Suding, K. N., K. L. Gross, and G. R. Houseman. 2004. Alternative states and positive feedbacks in restoration ecology. *Trends in Ecology & Evolution* 19: 46-53.
- Sutter, R. D. 1996. Monitoring. In: Falk, D. A., C. I. Millar, and M. Olwell (Eds.) *Restoring diversity: Strategies for reintroduction of endangered plants*, pp. 235-265. Island Press, Washington, DC, US.
- Thomas, C. D. 2011. Translocation of species, climate change, and the end of trying to recreate past ecological communities. *Trends in Ecology & Evolution* 26: 216-221.
- Van Groenendael, J. M., N. J. Ouborg, and R. J. J. Hendriks. 1998. Criteria for the introduction of plant species. *Acta Botanica Neerlandica* 47: 3-13.
- Van der Mijnsbrugge, K., A. Bischoff, and B. Smith. 2010. A question of origin: Where and how to collect seed for ecological restoration. *Basic and Applied Ecology* 11: 300-311.

- Vitt, P., K. Havens, and O. Hoegh-Guldberg. 2009. Assisted migration: Part of an integrated conservation strategy. *Trends in Ecology & Evolution* 24: 473-474.
- Vitt, P., K. Havens, A. T. Kramer, D. Sollenberger, and E. Yates. 2010. Assisted migration of plants: Changes in latitudes, changes in attitudes. *Biological Conservation* 143: 18-27.
- Wells, T. C. E., R. Cox, and A. Frost. 1989. Diversifying grasslands by introducing seed and transplants into existing vegetation. In: Buckley, G. P. (Ed.) *Biological habitat reconstruction*, pp. 283-298. Belhaven Press, London, UK.

Genetik / Genetics

- Angeles Alonso, M., A. Guillo, A., J. Perez-Botella, and et al. 2014. Genetic assessment of population restorations of the critically endangered *Silene hifacensis* in the Iberian Peninsula. *Journal of Nature Conservation* 22: 532-538.
- Antonovics, J., and R. B. Primack. 1982. Experimental ecological genetics in *Plantago*. 6. The demography of seedling transplants of *P. lanceolata*. *Journal of Ecology* 70: 55-75.
- Cieslak, E., G. Korbecka, and M. Ronikier. 2007. Genetic structure of the critically endangered endemic *Cochlearia polonica* (Brassicaceae): efficiency of the last-chance transplantation. *Botanical Journal of the Linnean Society* 155: 527-532.
- Deredec, A., and F. Courchamp. 2007. Importance of the Allee effect for reintroductions. *Ecoscience* 14: 440-451.
- Donath, T. W., and R. L. Eckstein. 2008. Die Bedeutung genetischer Faktoren für die Wiederansiedlung seltener Pflanzengemeinschaften. *Naturschutz und Landschaftsplanung* 40: 21-25.
- Ensslin, A., O. Tschöpe, M. Burkart, and J. Joshi. 2015. Fitness decline and adaptation to novel environments in ex situ plant collections: Current knowledge and future perspectives. *Biological Conservation* 192: 394-401.
- Falk, D. A., and K. E. Holsinger (Eds.). 1991. *Genetics and conservation of rare plants*. Oxford University Press, New York, Oxford.
- Falk, D. A., E. E. Knapp, and E. O. Guerrant Jr. 2001. *An introduction to restoration genetics*. Plant Conservation Alliance, Bureau of Land Management, US Department of Interior, US Environmental Protection Agency.
- Fotinos, T. D., S. Namoff, C. Lewis, J. Maschinski, M. P. Griffith, E. J. B. von Wettberg. 2015. Genetic evaluation of a reintroduction of Sargent's Cherry Palm, *Pseudophoenix sargentii*. *Journal of the Torrey Botanical Society* 142: 51-62.
- Friar, E. A., D. L. Boose, T. Ladoux, E. H. Roalson, and R. H. Robichaux. 2001. Population structure in the endangered Mauna Loa silversword, *Argyroxiphium kauense* (Asteraceae), and its bearing on reintroduction. *Molecular Ecology* 10: 1657-1663.
- Guerrant, E. O. Jr., P. L. Fiedler, K. Havens, and M. Maunder. 2004c. In: Guerrant, E. O. Jr., K. Havens, and M. Maunder (Eds.), *Ex situ plant conservation: Supporting species survival in the wild*, pp. 419-438. Island Press, Washington, US.
- Hufford, K. M., and S. J. Mazer. 2003. Plant ecotypes: genetic differentiation in the age of ecological restoration. *Trends in Ecology & Evolution* 18: 147-155.
- Hurka, H., N. Friesen, P. Borgmann, and B. Neuffer. 2008. Schutz und Erhalt pflanzengenetischer Vielfalt: In situ- und Ex situ-Maßnahmen. *Osnabrücker Naturwissenschaftliche Mitteilungen* 33-34: 177-195.
- Kephart, S. R. 2004. Inbreeding and reintroduction: Progeny success in rare *Silene* populations of varied density. *Conservation Genetics* 5: 49-61.
- Krauss, S. L., B. Dixon, and K. W. Dixon. 2002. Rapid genetic decline in a translocated population of the endangered plant *Grevillea scapigera*. *Conservation Biology* 16: 986-994.

- Krauss, S. L., L. Hermanutz, S. D. Hopper, and D. J. Coates. 2007. Population-size effects on seeds and seedlings from fragmented eucalypt populations: Implications for seed sourcing for ecological restoration. *Australian Journal of Botany* 55: 390-399.
- Leberg, P. L. 1993. Strategies for population reintroduction - Effects of genetic variability on population growth and size. *Conservation Biology* 7: 194-199.
- Lesica, P., and F. W. Allendorf. 1999. Ecological genetics and the restoration of plant communities: Mix or match? *Restoration Ecology* 7: 42-50.
- McGlaughlin, M., K. Karoly, and T. Kaye. 2002. Genetic variation and its relationship to population size in reintroduced populations of pink sand verbena, *Abronia umbellata* subsp. *breviflora* (Nyctaginaceae). *Conservation Genetics* 3: 411-420.
- McKay, J. K., C. E. Christian, S. Harrison, and K. J. Rice. 2005. "How local is local?" - A review of practical and conceptual issues in the genetics of restoration. *Restoration Ecology* 13: 432-440.
- Mistretta, O. 1994. Genetics of species re-introductions: Applications of genetic analysis. *Biodiversity & Conservation* 3: 184-190.
- Montalvo, A. M., and N. C. Ellstrand. 2001. Nonlocal transplantation and outbreeding depression in the subshrub *Lotus scoparius* (Fabaceae). *American Journal of Botany* 88: 258-269.
- Neale, J. R. 2012. Genetic considerations in rare plant reintroduction: Practical applications (Or how are we doing?). In: Maschinski, J., and K. E. Haskins (Eds.), *Plant reintroduction in a changing climate: Promises and perils*, pp. 71-88. Center for Plant Conservation. Island Press, Washington, DC, US.
- Reed, D. H., E. H. Lowe, D. A. Briscoe, and R. Frankham. 2003. Fitness and adaptation in a novel environment: Effect of inbreeding, prior environment, and lineage. *Evolution* 57: 1822-1828.
- Robert, A., D. Couvet, and F. Sarrazin. 2007. Integration of demography and genetics in population restorations. *Ecoscience* 14: 463-471.
- Robichaux, R. H., E. A. Friar, and D. W. Mount. 1997. Molecular genetic consequences of a population bottleneck associated with reintroduction of the Mauna Kea silversword (*Argyroxiphium sandwicense* ssp. *sandwicense* Asteraceae). *Conservation Biology* 11: 1140-1146.
- Smulders, M. J. M., J. van der Schoot, R. Geerts, A. G. Antonisse-de Jong, H. Korevaar, A. van der Werf, and B. Vosman. 2000. Genetic diversity and the reintroduction of meadow species. *Plant Biology* 2: 447-454.
- Storfer, A. 1999. Gene flow and endangered species translocations: a topic revisited. *Biological Conservation* 87: 173-180.
- Travis, S. E., and P. Sheridan. 2006. Genetic structure of natural and restored shoalgrass *Halodule wrightii* populations in the NW Gulf of Mexico. *Marine Ecology Progress Series* 322: 117-127.
- Vilas, C., and C. García. 2006. The role of genetic mechanisms of sex determination in the survival of small populations of *Silene littorea*: A reintroduction experiment. *Biological Conservation* 129: 124-133.
- Walters, T. W., D. S. Deckerwalters, and D. R. Gordon. 1994. Restoration considerations for wiregrass (*Aristida stricta*) - Allozymic diversity of populations. *Conservation Biology* 8: 581-585.
- Weeks, A. R., C. M. Sgro, A. G. Young, R. Frankham, N. J. Mitchell, K. A. Miller, M. Byrne, D. J. Coates, M. D. Eldridge, P. Sunnucks, M. F. Breed, E. A. James, and A. A. Hoffmann. 2011. Assessing the benefits and risks of translocations in changing environments: a genetic perspective. *Evolutionary Applications* 4: 709-725.

- Williams, S. L. 2001. Reduced genetic diversity in eelgrass transplantations affects both population growth and individual fitness. *Ecological Applications* 11: 1472-1488.
- Williams, S. L., and C. A. Davis. 1996. Population genetic analyses of transplanted eelgrass (*Zostera marina*) beds reveal reduced genetic diversity in southern California. *Restoration Ecology* 4: 163-180.
- Young, A. G., and B. G. Murray. 2000. Genetic bottlenecks and dysgenic gene flow into re-established populations of the grassland daisy, *Rutidosia leptorrhynchoides*. *Australian Journal of Botany* 48: 409-416.
- Zeidler, M., and V. Čurn. 2003. Genetic diversity test of re-established population of *Allium angulosum* L. *Polish Journal of Ecology* 51: 45-51.

Standörtliche Eignung / Habitat suitability

- Bazan, G., G. Domina, and R. Schicchi. 2012. Land unit definition for potential distribution of endangered species. *Bocconeia* 24: 213-219.
- Bourg, N. A., W. J. McShea, and D. E. Gill. 2005. Putting a cart before the search: Successful habitat prediction for a rare forest herb. *Ecology* 86: 2793-2804.
- Clark, C. J., J. R. Poulsen, D. J. Levey, and C. W. Osenberg. 2007. Are plant populations seed limited? A critique and meta-analysis of seed addition experiments. *American Naturalist* 170: 128-142.
- Engler, R., A. Guisan, and L. Rechsteiner. 2004. An improved approach for predicting the distribution of rare and endangered species from occurrence and pseudo-absence data. *Journal of Applied Ecology* 41: 263-274.
- Gogol-Prokurat, M. 2011. Predicting habitat suitability for rare plants at local spatial scales using a species distribution model. *Ecological Applications* 21: 33-47.
- Heikkinen, J., and R. Makipaa. 2010. Testing hypotheses on shape and distribution of ecological response curves. *Ecological Modelling* 221: 388-399.
- Kleyer, M., R. Biedermann, K. Henle, E. Obermaier, H.-J. Poethke, P. Poschlod, B. Schröder, J. Settele, and D. Vetterlein. 2007. Mosaic cycles in agricultural landscapes of Northwest Europe. *Basic and Applied Ecology* 8: 295-309.
- Krause, C. And D. Pennington. 2012. Strategic decisions in conservation: Using species distribution modelling to match ecological requirements to available habitat. In: Maschinski, J., and K. E. Haskins (Eds.), *Plant reintroduction in a changing climate: Promises and perils*, pp. 131-153. Center for Plant Conservation. Island Press, Washington, DC, US.
- Marrero-Gómez, M. V., J. G. B. Oostermeijer, E. Carqué-Álamo, and Á. Bañares-Baudet. 2007. Population viability of the narrow endemic *Helianthemum juliae* (CISTACEAE) in relation to climate variability. *Biological Conservation* 136: 552-562.
- Martinez-Meyer, E., A. T. Peterson, J. I. Servin, and L. F. Kiff. 2006. Ecological niche modeling and prioritizing areas for species reintroductions. *Oryx* 40: 411-418.
- Maschinski, J., D. A. Falk, S. J. Wright, J. Possley, J. Roncal, and K. S. Wendelberger 2012. Optimal locations for plant reintroductions in a changing world. In: Maschinski, J., and K. E. Haskins (Eds.), *Plant reintroduction in a changing climate: Promises and perils*, pp. 109-129. Center for Plant Conservation. Island Press, Washington, DC, US.
- Meli, P., and R. Dirzo. 2012. Effects of grasses on sapling establishment and the role of transplanted saplings on the light environment of pastures: implications for tropical forest restoration. *Applied Vegetation Science* 16: 296-304.
- Parolo, G., G. Rossi, and A. Ferrarini. 2008. Toward improved species niche modelling: *Arnica montana* in the Alps as a case study. *Journal of Applied Ecology* 45: 1410-1418.

- Pulliam, H. R. 2000. On the relationship between niche and distribution. *Ecology Letters* 3: 349-361.
- Questad, E. J., J. R. Kellner, K. Kinney, and et al. 2014. Mapping habitat suitability for at-risk plant species and its implications for restoration and reintroduction. *Ecological Applications* 24: 385-395.
- Vilas, C., E. San Miguel, R. Amaro, and C. Garcia. 2006. Relative contribution of inbreeding depression and eroded adaptive diversity to extinction risk in small populations of shore Campion. *Conservation Biology* 20: 229-238.
- Turner, J. B., and J. B. McGraw. 2015. Can putative indicator species predict habitat quality for American ginseng? *Ecological Indicators* 57: 110-117.
- Wingfield, R., K. Murphy, and M. Gaywood. 2005. Lake habitat suitability for the rare European macrophyte *Najas flexilis* (Willd.) Rostk. & Schmidt. *Aquatic Conservation: Marine and Freshwater Ecosystems* 15: 227-241.
- Wiser, S. K., R. K. Peet, and P. S. White. 1998. Prediction of rare-plant occurrence: A southern Appalachian example. *Ecological Applications* 8: 909-920.

Global

- Soorae, P. S. (Ed.) 2008. Global re-introduction perspective: re-introduction case-studies from around the globe. IUCN/SSC Re-introduction Specialist Group and Abu Dhabi, UAE, Environment Agency-Abu Dhabi.
- Soorae, P. S. (Ed.) 2010. Global re-introduction perspective: re-introduction case-studies from around the globe. IUCN/SSC Re-introduction Specialist Group and Abu Dhabi, UAE, Environment Agency-Abu Dhabi.
- Soorae, P. S. (Ed.) 2011. Global Re-introduction Perspective: 2011 More case studies from around the globe. IUCN/SSC Re-introduction Specialist Group and Abu Dhabi, UAE, Environment Agency-Abu Dhabi.

Afrika / Africa

- Holmes, P. M. 2005. Results of a lucerne old-field restoration experiment at the Fynbos-Karoo interface. *South African Journal of Botany* 71: 326-338.
- Maroyi, A. 2011. Community attitudes towards the reintroduction programme for the endangered pepperbark tree *Warburgia salutaris*: implications for plant conservation in south-east Zimbabwe. *Oryx* 46: 213-218.
- Mustart, P., J. Juritz, C. Makua, S. W. Vandermerwe, and N. Wessels. 1995. Restoration of the Clanwilliam cedar *Widdringtonia cedarbergensis* - The importance of monitoring seedlings planted in the Cederberg, South Africa. *Biological Conservation* 72: 73-76.

Amerika / America

- Albrecht, M. A., and K. A. McCue. 2010. Changes in demographic processes over long time scales reveal the challenge of restoring an endangered plant. *Restoration Ecology* 18: 235-243.
- *Alley, H. 2002. Experimental reintroduction of the endangered *Echinacea laevigata*: comparison of planting methods and effects of light intensity on biomass and photosynthesis. Master of Science thesis. University of Georgia, Athens, Georgia. (https://getd.libs.uga.edu/pdfs/alley_heather_j_200205_ms.pdf, 8 January 2016)
- Alley, H., and J. M. Affolter. 2004. Experimental comparison of reintroduction methods for the endangered *Echinacea laevigata* (Boynton and Beadle) Blake. *Natural Areas Journal* 24: 345-350.

- Alvarez-Aquino, C., G. Williams-Linera, and A. C. Newton. 2004. Experimental native tree seedling establishment for the restoration of a Mexican cloud forest. *Restoration Ecology* 12: 412-418.
- Ammond, S. A., C. M. Litton, L. M. Ellsworth, and J. K. Leary. 2013. Restoration of native plant communities in a Hawaiian dry lowland ecosystem dominated by the invasive grass *Megathyrus maximus*. *Applied Vegetation Science* 16: 29-39.
- Ashmun, J. W., and L. F. Pitelka. 1985. Population biology of *Clintonia borealis*. 2. Survival and growth of transplanted ramets in different environments. *Journal of Ecology* 73: 185-198.
- Atkinson, K. L., and C. Lacroix. 2012. Evaluating re-introduction methods for the Gulf of Saint Lawrence aster (*Symphotrichum laurentianum*) on Prince Edward Island. *Botany / Botanique* 90: 1170-1179.
- Bay, R. F., and J. J. Ebersole. 2006. Success of turf transplants in restoring alpine trails, Colorado, USA. *Arctic Antarctic and Alpine Research* 38: 173-178.
- Best, J. N., and E. W. Bork. 2003. Using transplanted Plains Rough Fescue (*Festuca hallii* [Vasey] Piper) as an indicator of grazing in Elk Island National Park, Canada. *Native Plants Journal* 23: 202-209.
- Bontrager, M., K. Webster, M. Elvin, M., and I. M. Parker. 2014. The effects of habitat and competitive/facilitative interactions on reintroduction success of the endangered wetland herb, *Arenaria paludicola*. *Plant Ecology* 215: 467-478.
- Bowles, M., R. Flakne, K. McEachern, and N. Paclovic. 1993. Recovery planning and reintroduction of the federally threatened pitcher's thistle (*Cirsium pitcheri*) in Illinois. *Natural Areas Journal* 13 (3): 164-176.
- Bowles, M., R. F. Betz, and M. M. DeMauro. 1993. Propagation of rare plants from historic seed collections: Implications for species restoration and herbarium management. *Restoration Ecology* 1: 101-106.
- Bowles, M., and J. McBride. 1996. Pitcher's thistle (*Cirsium pitcheri*) reintroduction. In: Falk, D. A., C. I. Millar, and M. Olwell (Eds.), *Restoring diversity: Strategies for reintroduction of endangered plants*, pp. 423-431. Island Press, Washington DC, US.
- Bowles, M., J. McBride, and T. Bell. 2001. Restoration of the federally threatened Mead's milkweed (*Asclepias meadii*). *Ecological Restoration* 19: 235-241.
- Bowles, M., J. McBride, and T. Bell. 2015. Long-term processes affecting restoration and viability of the federal threatened Mead's milkweed (*Asclepias meadii*). *Ecosphere* 6 (1): 11.
- Bowles, M., J. L. McBride, and R. F. Betz. 1998. Management and restoration ecology of the federal threatened mead's milkweed, *Asclepias meadii* (Asclepiadaceae). *Annals of the Missouri Botanical Garden* 85: 110-125.
- Braham, R., C. Murray, and M. Boyer. 2006. Mitigating impacts to Michaux's sumac (*Rhus michauxii* Sarg.): A case study of transplanting an endangered shrub. *Castanea* 71: 265-271.
- Brown, C. S., and R. L. Bugg. 2001. Effects of established perennial grasses on introduction of native forbs in California. *Restoration Ecology* 9: 38-48.
- Brudvig, L. A., and C. M. Mabry. 2008. Trait-based filtering of the regional species pool to guide understory plant reintroductions in Midwestern oak savannas, U.S.A. *Restoration Ecology* 16: 290-304.
- Brumback, W. E., and Fyler, C. W. 1996. Small worlded pogonia (*Isotria medeoloides*) transplant project. In: Falk, D. A., C. I. Millar, and M. Olwell (Eds.), *Restoring diversity: Strategies for reintroduction of endangered plants*, pp. 433-443. Island Press, Washington DC, US.

- Brumback, W. E., D. M. Weihrauch, and K. D. Kimball. 2004. Propagation and transplanting of an endangered alpine species, Robbins' cinquefoil, *Potentilla robbinsiana* (Rosaceae) *Native Plants Journal* 5: 91-97.
- Bugg, R. L., C. S. Brown, and J. H. Anderson. 1997. Restoring native perennial grasses to rural roadsides in the Sacramento Valley of California: Establishment and evaluation. *Restoration Ecology* 5: 214-228.
- Buisson, E., S. Anderson, K. D. Holl, E. Corcket, G. F. Hayes, A. Peeters, and T. Dutoit. 2008. Reintroduction of *Nassella pulchrato* to California coastal grasslands: Effects of topsoil removal, plant neighbour removal and grazing. *Applied Vegetation Science* 11: 195-204.
- Buisson, E., K. D. Holl, S. Anderson, E. Corcket, G. F. Hayes, F. Torre, A. Peeters, and T. Dutoit. 2006. Effect of seed source, topsoil removal, and plant neighbor removal on restoring California coastal prairies. *Restoration Ecology* 14: 569-577.
- *Center for Plant Conservation. CPC International Reintroduction Registry. (http://www.centerforplantconservation.org/reintroduction/MN_ReintroductionEntrance.aspx, 8 January 2016)
- Chambers, J. C., R. W. Brown, and R. S. Johnston. 1987. A comparison of soil and vegetation properties of seeded and naturally revegetated pyritic alpine mine spoil and reference sites. *Landscape and Urban Planning* 14: 507-519.
- Cheplick, G. P. 1988. Influence of environment and population origin on survivorship and reproduction in reciprocal transplants of amphicarpic peanutgrass (*Amphicarpum purshii*). *American Journal of Botany* 75: 1048-1056.
- Clements, D. R. 2013. Translocation of rare plant species to restore Garry oak ecosystems in western Canada: challenges and opportunities. *Botany / Botanique* 91: 283-291.
- *Combs, J. 2012. Conservation and management of rare and endangered plants in Washington State. (http://courses.washington.edu/bot113/summer/LectNotes/2012/glecture_8_1.pdf, 8 January 2016)
- Conlin, D. B., and J. J. Ebersole. 2001. Restoration of an alpine disturbance: Differential success of species in turf transplants, Colorado, USA. *Arctic Antarctic and Alpine Research* 33: 340-347.
- Cooper, D. J., and L. H. MacDonald. 2000. Restoring the vegetation of mined peatlands in the southern Rocky Mountains of Colorado, USA. *Restoration Ecology* 8: 103-111.
- Cox, P. 1990. Reintroduction of the Texas snowbell (*Styrax texana*). *Endangered Species Update* 8: 64-65.
- Currin, R., and R. Meinke. 2008. Malheur wirelettuce (*Stephanomeria malheurensis*) reintroduction and seed bulking: 2008 recovery efforts. U.S. Fish and Wildlife Service, Region 1, Portland, Oregon. Oregon Department of Agriculture, Salem, Oregon. Unpubl.
- Drayton, B., and R. B. Primack. 2000. Rates of success in the reintroduction by four methods of several perennial plant species in eastern Massachusetts. *Rhodora* 102: 299-331.
- Drayton, B., and R. B. Primack. 2012. Success rates for reintroductions of eight perennial plant species after 15 years. *Restoration Ecology* 20: 299-303.
- Ferrazzano, S., and P. S. Williamson. 2013. Benefits of mycorrhizal inoculation in reintroduction of endangered plant species under drought conditions. *Journal of Arid Environments* 98: 123-125.
- Fiedler, P. L. 1991. Mitigation-related transplantation, relocation and reintroduction projects involving endangered and threatened, and rare plant species in California. Pages 1-144, California Endangered Species Tax Check-Off Fund. Unpubl.
- Fowler, N. L., and J. Antonovics. 1981. Small-scale variability in the demography of transplants of 2 herbaceous species. *Ecology* 62: 1450-1457.

- Giles-Johnson, D. E. L., and T. Kaye. 2012. *Abronia umbellata* var. *breviflora* on the Oregon coast: Reintroduction and population monitoring. Institute of Applied Ecology.
- Gillespie, I., and E. Allen. 2008. Restoring the rare forb *Erodium macrophyllum* to exotic grassland in southern California. *Endangered Species Research* 5: 65-72.
- Glitzenstein, J. S., D. R. Streng, D. D. Wade, and J. Brubaker. 2001. Starting new populations of longleaf pine ground-layer plants in the outer coastal plain of South Carolina, USA. *Natural Areas Journal* 21: 89-110.
- Gordon, D. R. 1996a. Apalachicola rosemary (*Conradina glabra*) reintroduction. In: Falk, D. A., C. I. Millar, and M. Olwell (Eds.), Restoring diversity: Strategies for reintroduction of endangered plants, pp. 417-422. Island Press, Washington DC, US.
- Gordon, D. R. 1996b. Experimental translocation of the endangered shrub Apalachicola rosemary *Conradina glabra* to the Apalachicola Bluffs and Ravines Preserve, Florida. *Biological Conservation* 77: 19-26.
- Graf, M. D., and L. Rochefort. 2008. Techniques for restoring fen vegetation on cut-away peatlands in North America. *Applied Vegetation Science* 11: 521-528.
- Graf, M. D., and L. Rochefort. 2010. Moss regeneration for fen restoration: Field and greenhouse experiments. *Restoration Ecology* 18: 121-130.
- Greiling, D. A., and N. Kichanan. 2002. Old-field seedling responses to insecticide, seed addition, and competition. *Plant Ecology* 159: 175-183.
- Guerrant, E. O. Jr. 1990. Transplantation of an otherwise doomed population of Barrett's Penstemon, *Penstemon barrettiae*. *Endangered Species Update* 8: 66-67.
- Guerrant, E. O. Jr. 1996b. Reintroduction of *Stephanomeria malheurensis*, a case study. In: Falk, D. A., C. I. Millar, and M. Olwell (Eds.), Restoring diversity: Strategies for reintroduction of endangered plants, pp. 399-402. Island Press, Washington DC, US.
- Guerrant, E. O. Jr. 2001. Experimental reintroduction of the endangered western lily (*Lilium occidentale*). In: Reichard, S. H., P. W. Dunwiddie, J. G. Gamon, A. R. Kruckeberg, and D. L. Salstrom (Eds.), Conservation of Washington's native plants and ecosystems, pp. 201-211. Washington Native Plant Society, Seattle.
- Halsey, S. J., T. J. Bell, K. McEachern, and N. B. Pavlovic. 2015. Comparison of reintroduction and enhancement effects on metapopulation viability. *Restoration Ecology* 23: 375-384.
- Helenurm, K. 1998. Outplanting and differential source population success in *Lupinus guadalupensis*. *Conservation Biology* 12: 118-127.
- Helenurm, K., and L. S. Parsons. 1997. Genetic variation and the reintroduction of *Cordylanthus maritimus* ssp. *maritimus* to Sweetwater Marsh, California. *Restoration Ecology* 5: 236-244.
- Holland, P. G. 1980. Transplant experiments with trout lily at Mont St-Hilaire, Quebec. *Journal of Biogeography* 7: 261-267.
- Jasper, A., E. M. Freitas, E. L. Musskopf, and J. Bruxel. 2005. Methodology of the preservation of Bromeliaceae, Cactaceae and Orchidaceae in the Forqueta Fall Power Plant, São José do Herval. *Pesquisas Botanica* 56: 265-283.
- Kapua Kawelo, H., S. C. Harbin, S. M. Joe, M. J. Keir, and L. Weisenberger. 2012. Unique reintroduction considerations in Hawaii: Case studies from a decade of rare plant restoration at the Oahu Army Natural Resource rare Plant Program. In: Maschinski, J., and K. E. Haskins (Eds.), Plant reintroduction in a changing climate: Promises and perils, pp. 209-226. Center for Plant Conservation. Island Press, Washington, DC, US.
- Kaye, T. N. 2001. Propagation and population re-establishment for tall bugbane (*Cimicifuga elata*) on the Salem district, BLM. Salem District, Bureau of Land Management and Institute for Applied Ecology.

- Kaye, T. N. 2004. Reintroducing the endangered pink sand-verbena to Pacific Coast beaches: Direct seeding and out-planting. In: Brooks, M. B., L. K. Carothers, and T. LaBanca (Eds.), *The ecology and management of rare plants of northern California*, pp. 131-139. California Native Plant Society, Sacramento, CA.
- Kaye, T. N., and J. R. Cramer. 2003. Direct seeding or transplanting: the cost of restoring populations of Kincaid's lupine (Oregon). *Ecological Restoration* 21: 224-225.
- Kaye, T. N., J. Cramer, and A. Brandt. 2003. Seeding and transplanting rare Willamette Valley prairie plants for population restoration. Third Year Report (2002). Institute for Applied Ecology Corvallis, Oregon.
- Kaye, T. N., and B. Lawrence. 2003. Fitness effects of inbreeding and outbreeding on golden paintbrush (*Castilleja levisecta*): Implication for recovery and reintroduction. Institute for Applied Ecology, Corvallis, Oregon.
- Keddy, P. A. 1983. Transplanting rare plants to protect them: a plant ecologist's perspective. *Canadian Botanical Association Bulletin* 16: 13-15.
- Keel, B. G. 2007. Assisted migration as a conservation strategy for rapid climate change: Investigating extended photoperiod and mycobiont distributions for *Habenaria repens* Nuttall (Orchidaceae) as a case study. PhD dissertation, Antioch University New England, Keene, NH, US.
- Kunz, M., M. F. Buchanan, J. Randall, W. Wall, and M. G. Hohmann. 2013. Life cycle, vegetative propagation, and reintroduction of federally endangered rough-leaved loosestrife, *Lysimachia asperulifolia*. *Castanea* 79: 18-26.
- Lawrence, B. A. 2005. Studies to facilitate reintroduction of golden paintbrush (*Castilleja levisecta*) to the Willamette Valley, Oregon. Oregon State University, Corvallis, Oregon.
- Lawrence, B. A., and T. N. Kaye. 2006. Habitat variation throughout the historic range of golden paintbrush, a Pacific Northwest prairie endemic: Implications for reintroduction. *Northwest Science* 80: 140-152.
- Lawrence, B. A., and T. N. Kaye. 2008. Direct and indirect effects of host plants: Implications for reintroduction of an endangered hemiparasitic plant (*Castilleja levisecta*). *Madroño* 55: 151-158.
- Lawrence, B. A., and T. N. Kaye. 2011. Reintroduction of *Castilleja levisecta*: Effects of ecological similarity, source population genetics, and habitat quality. *Restoration Ecology* 19: 166-176.
- Lippincott, C. 1995. Reintroduction of *Pseudophoenix sargentii* in the Florida Keys. *Principes* 39: 5-13.
- Lofflin, D. L., and S. R. Kephart. 2005. Outbreeding, seedling establishment, and maladaptation in natural and reintroduced populations of rare and common *Silene douglasii* (Caryophyllaceae). *American Journal of Botany* 92: 1691-1700.
- Marsico, T. D., and J. J. Hellmann. 2009. Dispersal limitation inferred from an experimental translocation of *Lomatium* (Apiaceae) species outside their geographic ranges. *Oikos* 118: 1783-1792.
- Maschinski, J., J. E. Baggs, and C. F. Sacchi. 2004. Seedling recruitment and survival of an endangered limestone endemic in its natural habitat and experimental reintroduction sites. *American Journal of Botany* 91: 689-698.
- Maschinski, J., and J. Duquesnel. 2007. Successful reintroductions of the endangered long-lived Sargent's cherry palm, *Pseudophoenix sargentii*, in the Florida Keys. *Biological Conservation* 134: 122-129.
- Maschinski, J., and S. J. Wright. 2006. Using ecological theory to plan restorations of the endangered beach jacquemontia (Convolvulaceae) in fragmented habitats. *Journal for Nature Conservation* 14: 180-189.

- May, D. E., P. J. Webber, and T. A. May. 1982. Success of transplanted alpine tundra plants on Niwot Ridge, Colorado. *Journal of Applied Ecology* 19: 965-976.
- McCain, W. E., and J. E. Ebinger. 2008. Reintroduction of Lakeside daisy (*Tetranuris herbacea* Greene, Asteraceae) at Manito Prairie Nature Preserve, Tazewell County, Illinois. *Transactions of the Illinois State Academy of Science* 10: 78-85.
- McDonald, R. J. 2005. Reproductive ecology and re-establishment of *Argusia argentea* on Ashmore Reef. *Beagle SI*: 153-162.
- Mehrhoff, L. A. 1996. FOCUS: Reintroducing endangered Hawaiian plants. In: Falk, D. A., C. I. Millar, and M. Olwell (Eds.), Restoring diversity: Strategies for reintroduction of endangered plants, pp. 101-120. Island Press, Washington DC, US.
- Mistretta, O., and S. D. White. 2001. Introducing two federally listed carbonate-endemic plants onto a disturbed site in the San Bernardino Mountains, California. In: Maschinski, J. (Ed.), Southwestern rare and endangered plants: Proceedings of the Third Conference, September 25-28, pp. 20-26. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Flagstaff, AZ.
- Montalvo, A. M., and N. C. Ellstrand. 2000. Transplantation of the subshrub *Lotus scoparius*: Testing the home-site advantage hypothesis. *Conservation Biology* 14: 1034-1045.
- Morton, J. K. 1982. Preservation of endangered species by transplantation. *Canadian Botanical Association Bulletin* 15: 32.
- Mottl, L. M., C. M. Mabry, and D. R. Farrar. 2006. Seven-year survival of perennial herbaceous transplants in temperate woodland restoration. *Restoration Ecology* 14: 330-338.
- Obee, E. M., and R. J. Cartica. 1997. Propagation and reintroduction of the endangered hemiparasite *Schwalbea americana* (Scrophulariaceae). *Rhodora* 99: 134-147.
- Olwell, M., A. Cully, and P. Knight. 1990. The establishment of a new population of *Pediocactus knowltonii*: Third year assessment. In: Mitchell, R. S., C. J. Sheviak, and D. J. Leopold (Eds.), Ecosystem management: Rare species and significant habitats, pp. 189-193. New York State Museum Bulletin 471, US.
- Page, H. N., and E. W. Bork. 2005. Effect of planting season, bunchgrass species, and neighbor control on the success of transplants for grassland restoration. *Restoration Ecology* 13: 651-658.
- Parenti, R. L., and E. O. Guerrant. 1990. Down but not out: Reintroduction of the extirpated Malheur wirelettuce, *Stephanomeria malheurensis*. *Endangered Species Update* 8: 62-63.
- Parsons, L. S., and J. B. Zedler. 1997. Factors affecting reestablishment of an endangered annual plant at a California salt marsh. *Ecological Applications* 7: 253-267.
- Pavlik, B. M. 1991. Reintroduction of *Amsinckia grandiflora* to three sites across its historic range. Department of Fish and Game, Endangered Plant Program, Sacramento, CA.
- Pavlik, B. M., and E. K. Espeland. 1998. Demography of natural and reintroduced populations of *Acanthomintha duttonii*, an endangered serpentinite annual in northern California. *Madroño* 45: 31-39.
- Pavlik, B. M., and K. Heisler. 1988. Habitat characterization and selection of potential sites for establishment of new populations of *Amsinckia grandiflora*. Department of Fish and Game, Endangered Plant Project. Sacramento, California. .
- Pavlik, B. M., and E. Manning. 1993. Assessing limitations on the growth of endangered plant populations. 1. Experimental demography of *Erysimum capitatum* ssp. *angustatum* and *Oenothera deltoides* ssp. *howellii*. *Biological Conservation* 65: 257-265.
- Pavlik, B. M., D. L. Nickrent, and A. M. Howald. 1993. The recovery of an endangered plant. I. Creating a new population of *Amsinckia grandiflora*. *Conservation Biology* 7: 510-526.

- Pavlovic, N. B., and R. Grundel. 2009. Reintroduction of wild lupine (*Lupinus perennis* L.) depends on variation in canopy, vegetation, and litter cover. *Restoration Ecology* 17: 807-817.
- Pierson, S. A. A., C. H. Keiffer, B. C. McCarthy, and S. H. Rogstad. 2007. Limited reintroduction does not always lead to rapid loss of genetic diversity: An example from the American chestnut (*Castanea dentata*; Fagaceae). *Restoration Ecology* 15: 420-429.
- Possley, J., K. Hines, J. Maschinski, J. G. Dozier, and C. Rodriguez. 2007. A common passion: Multiple agencies and volunteers unite to reintroduce goatsfoot passionflower to rockland hammocks of Miami. *Florida Native Plants Journal* 8: 252-258.
- Possley, J., J. Maschinski, C. Rodriguez, and J. G. Dozier. 2009. Alternatives for reintroducing a rare ecotone species: Manually thinned forest edge versus restored habitat remnant. *Restoration Ecology* 17: 668-677.
- Power, P. J., J. Maschinski, H. D. Hammond, and L. Holter. 1996. Reintroduction of Texas wildrice (*Zizania texana*) in spring lake: Some important environmental and biotic considerations. *Southwest rare and endangered plants: Proceedings of the second conference*, pp. 179-186. USDA Forest Service General Technical Report Rocky Mountains.
- Reinartz, J. A. 1997. Restoring populations of rare plants. In: Packard, S., and C. F. Mutel (Eds.), *The tallgrass restoration handbook for prairies, savannas and woodlands*, pp. 89-98. Island Press, Washington, D.C.
- Rimer, R. L., and K. A. McCue. 2005. Restoration of *Helenium virginicum* Blake, a threatened plant of the Ozark Highlands. *Natural Areas Journal* 25: 86-90.
- Roncal, J., J. Maschinski, B. Schaffer, S. M. Gutierrez, and D. Walters. 2012. Testing appropriate habitat outside of historic range: The case of *Amorpha herbacea* var. *crenulata* (Fabaceae). *Journal for Nature Conservation* 20: 109-116.
- Rowland, J., and M. A. Maun. 2001. Restoration ecology of an endangered plant species: Establishment of new populations of *Cirsium pitcheri*. *Restoration Ecology* 9: 60-70.
- Rubluo, A., V. Chave, and A. Martinez. 1989. In vitro seed germination and reintroduction of *Bletia urbana* (Orchidaceae) in its natural habitat. *Lindleyana* 4: 68-73.
- Sánchez-Velásquez, L. R., S. Quintero-Gradilla, F. Aragón-Cruz, and M. R. Pineda-López. 2004. Nurses for *Brosimum alicastrum* reintroduction in secondary tropical dry forest. *Forest Ecology and Management* 198: 401-404.
- Schoen, D. J., S. C. Stewart, M. J. Lechowicz, and G. Bell. 1986. Partitioning the transplant site effect in reciprocal transplant experiments with *Impatiens capensis* and *Impatiens pallida*. *Oecologia* 70: 149-154.
- Severns, P. M. 2003. Propagation of a long-lived and threatened prairie plant, *Lupinus sulphureus* ssp. *kincaidii*. *Restoration Ecology* 11: 334-342.
- Sinclair, A., and P. M. Catling. 2003. Restoration of *Hydrastis canadensis* by transplanting with disturbance simulation: Results of one growing season. *Restoration Ecology* 11: 217-222.
- Sivinski, R. C., and C. McDonald. 2007. Knowlton's cactus (*Pediocactus knowltonii*): Eighteen years of monitoring and recovery actions. In: Barlow-Irick, P., J. Anderson, and C. McDonald (Eds.), *Southwestern rare and endangered plants: Proceedings of the Fourth Conference*, Fort Collins, CO, pp. 98-107. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station.
- Smith, T. E. 1999. *Geocarpon* successfully relocated at a western Missouri site. *Ecological Restoration* 17: 91-92.
- Smith, T. 1998. Reintroduction of running buffalo clover (*Trifolium stoloniferum*) in Missouri. *Missouriensis* 19: 12-19.

- Smith, T. E. 2003. Observations on the experimental planting of *Lindera melissifolia* (Walter) Blume in southeastern Missouri after ten years. *Castanea* 68: 75-80.
- Springer, J., and D. Egan. 2012. Strategies for enhancing and restoring rare plants and their habitats in the face of climate change and habitat destruction in the Intermountain West. In: Egan, D. (Ed.), *Ecological Restoration Institute Working Paper*. Northern Arizona University, Arizona.
- Steed, J. E., and L. E. DeWald. 2003. Transplanting sedges (*Carex* spp.) in southwestern riparian meadows. *Restoration Ecology* 11: 247-256.
- Steed, J. E., L. E. DeWald, and T. E. Kolb. 2002. Physiological and growth responses of riparian sedge transplants to groundwater depth. *International Journal of Plant Sciences* 163: 925-936.
- Stiling, P., A. Rossi, and D. Gordon. 2000. The difficulties of single factor thinking in restoration: replanting a rare cactus in the Florida Keys. *Biological Conservation* 94: 327-333.
- *The University of Vermont. 2008. Population reintroduction of *Polemonium vanbruntiae*. (<http://www.uvm.edu/~lhill/?Page=reintro.html>, 8 January 2016).
- Thorpe, A. S., R. T. Massatti, and T. Kaye. 2008. Reintroduction of *Lupinus sulphureus* ssp. *kincaidii* (Kincaid's lupine) to Dragonfly Bend in the West Eugene Wetlands. Institute of Applied Ecology.
- Tipton, J. L., and R. M. Taylor. 1984. Transplanting success with creosotebush (*Larrea tridentata* (D.C.) Cav.) from native stands. *Journal of Environmental Horticulture* 2: 83-85.
- Titus, J. H., and P. H. Titus. 2008. Assessing the reintroduction potential of the endangered Huachua (water umbel) in southeastern Arizona. *Ecological Restoration* 26: 312-320.
- Trembley, R. L. 2008. Ecological correlates and short-term effects of relocation of a rare epiphytic orchid after Hurricane Georges. *Endangered Species Research* 5: 83-90.
- Tyndall, R. W., and P. L. Groller. 2006. Transplant survival, reproductive output, and population monitoring of *Desmodium ochroleucum* M. A. Curtis at Chicone Creek Woods in Maryland. *Castanea* 71: 329-332.
- Vasseur, L., and D. Gagnon. 1994. Survival and growth of *Allium tricoccum* AIT. transplants in different habitats. *Biological Conservation* 68: 107-114.
- Wagenius, S., A. B. Dykstra, C. E. Ridley, and R. G. Shaw. 2012. Seedling recruitment in the long-lived perennial, *Echinacea angustifolia*: A 10-year experiment. *Restoration Ecology* 20: 352-359.
- Walck, J. L., J. M. Baskin, and C. C. Baskin. 1999. Effects of competition from introduced plants on establishment, survival, growth and reproduction of the rare plant *Solidago shortii* (Asteraceae). *Biological Conservation* 88: 213-219.
- Wayne, W. C. 2004. Factors affecting the reintroduction of golden paintbrush (*Castilleja levisecta*), a threatened plant species. Center for Urban Horticulture. University of Washington, Seattle, WA.
- Weekley, C. W. 2004. Experimental introduction of Florida *Ziziphus* at Lake Wales Ridge National Wildlife Refuge. Saving Our Research 4-5. Lake Wales Ridge National Wildlife Refuge Newsletter.
- Weisenberger, L. A., S. G. Weller, and A. Sakai. 2014. Remnants of populations provide effective source material for reintroduction of endangered Hawaiian plant, *Schiedea kaalae* (Caryophyllaceae). *American Journal of Botany* 101: 1954-1962.
- Wells, E. F. 2012. Reintroduction of federally endangered harperella (*Harperella nodosum* Rose) in flood-prone, artificial, and natural habitats. *Castanea* 77: 146-157.

Wendelberger, K. S., M. Q. N. Fellows, and J. Maschinski. 2008. Rescue and restoration: Experimental translocation of *Amorpha herbacea* Walter var. *crenulata* (Rybd.) Isley into a novel urban habitat. *Restoration Ecology* 16: 542-552.

Asien / Asia

- Adhikari, D., S. K. Barik, and K. Upadhaya. 2012. Habitat distribution modelling for reintroduction of *Ilex khasiana* Purk., a critically endangered tree species of northeastern India. *Ecological Engineering* 40: 37-43.
- Anand, A., C. S. Rao, P. Eganathan, N. A. Kumar, and M. S. Swaminathan. 2004. Saving an endemic and endangered taxon: *Syzygium travancoricum* gamble (Myrtaceae) - A case study focussing on its genetic diversity, and reintroduction. *Physiology and Molecular Biology of Plants* 10: 233-242.
- Chen, F., Z. Xie, G. Xiong, Y. Liu, and H. Yang. 2005. Reintroduction and population reconstruction of an endangered plant *Myricaria laxiflora* in the Three Gorges Reservoir area, China. *Acta Ecologica Sinica* 25: 1811-1817.
- Gangaprasad, A., W. S. Decruse, S. Seeni, and S. Menon. 1999. Micropropagation and restoration of the endangered Malabar daffodil orchid *Ipea malabarica*. *Lindleyana* 14: 38-46.
- Gangaprasad, A., W. S. Decruse, S. Seeni, and G. M. Nair. 2005. Micropropagation and ecorestoration of *Decalepis arayalpathra* (Joseph & Chandra.) Venter - An endemic and endangered ethnomedicinal plant of Western Ghats. *Indian Journal of Biotechnology* 4: 265-270.
- Grell, E., N. F. Hass-von Schmude, A. Lamb, and A. Bacon. 1988. Re-introducing *Paphiopedilum rothschildianum* to Sabah, North Borneo. *American Orchid Society Bulletin* 57: 1238-1246.
- Jaganathan, G. K., and B. Liu. 2015. Role of seed sowing time and microclimate on germination and seedling establishment of *Dodonaea viscosa* (Sapindaceae) in a seasonal dry tropical environment - an insight into restoration efforts. *Botany* 93: 23-29.
- Liu, G. H., J. Zhou, D. S. Huang, and W. Li. 2004. Spatial and temporal dynamics of a restored population of *Oryza rufipogon* in Huli Marsh, South China. *Restoration Ecology* 12: 456-463.
- Martin, K. P. 2003. Clonal propagation, encapsulation and reintroduction of *Ipea malabarica* (Reichb. f.) J. D. Hook., an endangered orchid. *In Vitro Cellular & Developmental Biology: Plant* 39: 322-326.
- Ren, H., G. Ma, Q. Zhang, Q. Guo, J. Wang, and Z. Wang. 2010a. Moss is a key nurse plant for reintroduction of the endangered herb, *Primulina tabacum* Hance. *Plant Ecology* 209: 313-320.
- Ren, H., S. J. Zeng, L. N. Li, Q. M. Zhang, L. Yang, J. Wang, Z. F. Wang, and Q. F. Guo. 2012. Reintroduction of *Tigridiopalma magnifica*, a rare and critically endangered herb endemic to China. *Oryx* 46: 391-398.
- Ren, H. A. I., Q. Zhang, Z. Wang, Q. Guo, J. Wang, N. A. N. Liu, and K. Liang. 2010. Conservation and possible reintroduction of an endangered plant based on an analysis of community ecology: a case study of *Primulina tabacum* Hance in China. *Plant Species Biology* 25: 43-50.
- Zeng, S., K. Wu, J. A. Teixeira da Silva, J. Zhang, Z. Chen, N. Xia, and J. Duan. 2012. Asymbiotic seed germination, seedling development and reintroduction of *Paphiopedilum wardii* Sumerh., an endangered terrestrial orchid. *Scientia Horticulturae* 138: 198-209.

Australien & Neuseeland / Australia & New Zealand

- Australian Network for Plant Conservation Translocation Working Group. 1997. Guidelines for the translocation of threatened plants in Australia. Australian Network for Plant Conservation, Canberra, Australia.
- Batty, A. L., M. C. Brundrett, K. W. Dixon, and K. Sivasithamparam. 2006. In situ symbiotic seed germination and propagation of terrestrial orchid seedlings for establishment at field sites. *Australian Journal of Botany* 54: 375-381.
- Brown, P. J., K. R. Wormington, and P. Brown. 2015. Identifying essential ecological factors underpinning the development of a conservation plan for the endangered Australian tree *Alectryon ramiflorus*. *Oryx* 49: 453-460.
- Cochrane, A. 2004. Western Australia's ex situ program for threatened species: A model integrated strategy for conservation. In: Guerrant Jr., E. O., K. Havens, and M. Maunder (Eds.), *Ex situ plant conservation supporting species in the wild*, pp. 40-66. Island Press, Washington DC, US.
- Cochrane, A., A. Crawford, and L. Monks. 2007. The significance of ex situ seed conservation to reintroduction of threatened plants. *Australian Journal of Botany* 55: 356-361.
- Cochrane, A., L. Monks, and S. Juskiewicz. 2000. Translocations trials for four threatened Western Australian plant taxa. *Danthonia* 9: 7-9.
- Cole, B. I., and I. D. Lunt. 2005. Restoring Kangaroo Grass (*Themeda triandra*) to grassland and woodland understoreys: a review of establishment requirements and restoration exercises in south-east Australia. *Ecological Management & Restoration* 6: 28-33.
- Cole, I., I. D. Lunt, and T. Koen. 2005. Effects of sowing treatment and landscape position on establishment of the perennial tussock grass *Themeda triandra* (Poaceae) in degraded eucalyptus woodlands in southeastern Australia. *Restoration Ecology* 13: 552-561.
- Coumbe, R., and S. Dopson. 1999. Indigenous plant translocations in New Zealand: A summary 1987-1999. Department of Conservation, Wellington, New Zealand.
- Dixon, B. 2004. The Corrigin Grevillea (*Grevillea scapigera*): An update. *Australasian Plant Conservation* 13: 14-15.
- Dixon, B., and S. Krauss. 2001. Translocation of *Grevillea scapigera*: is it working? *Danthonia* 10: 2-3.
- Dixon, K. 1994. Towards integrated conservation of Australian endangered plants - the Western Australian model. *Biodiversity & Conservation* 3: 148-159.
- Gilfedder, L., J. B. Kirkpatrick, and S. Wells. 1997. The endangered Tunbridge buttercup (*Ranunculus prasinus*): Ecology, conservation status and introduction to the Township Lagoon Nature Reserve, Tasmania. *Australian Journal of Ecology* 22: 347-351.
- Jusaitis, M. 1991. Endangered *Phebalium* (Rutaceae) species return to South Australia. *Re-introduction News* 4.
- Jusaitis, M. 1996. Experimental translocations of endangered *Phebalium* spp. (Rutaceae) in South Australia. *Re-introduction News* 7-8.
- Jusaitis, M. 2004. Habitat specificity, seed germination and experimental translocation of the endangered herb *Brachycome muelleri* (Asteraceae). *Biological Conservation* 116: 251-266.
- Jusaitis, M. 2005. Translocation trials confirm specific factors affecting the establishment of three endangered plant species. *Ecological Management & Restoration* 6: 61-67.
- Jusaitis, M., and L. Polomka. 2008. Weeds and propagule type influence translocation success in the endangered Whibley Wattle, *Acacia whibleyana* (Leguminosae: Mimosoideae). *Ecological Management & Restoration* 9: 72-76.

- Jusaitis, M., L. Polomka, and B. Sorensen. 2004. Habitat specificity, seed germination and experimental translocation of the endangered herb *Brachycome muelleri* (Asteraceae). *Biological Conservation* 116: 251-266.
- Jusaitis, M., and B. Sorensen. 2007. Successful augmentation of an *Acacia whibleyana* (Whibley Wattle) population by translocation. *Australasian Plant Conservation* 16: 23-24.
- Meehan, A. J., and R. J. West. 2002. Experimental transplanting of *Posidonia australis* seagrass in Port Hacking, Australia, to assess the feasibility of restoration. *Marine Pollution Bulletin* 44: 25-31.
- Moir, M. L., P. A. Vesk, K. E. Brennan, R. Poulin, L. Hughes, D. A. Keith, M. A. McCarthy, and D. J. Coates. 2012. Considering extinction of dependent species during translocation, ex situ conservation, and assisted migration of threatened hosts. *Conservation Biology* 26: 199-207.
- Monks, L. 2006. Critical action. *Landscape* 22: 39-43.
- Monks, L. 2009. Experimental approaches in threatened plant translocations: How failures can lead to success. *Australasian Plant Conservation* 17 (3): 8-10.
- Monks, L., and D. J. Coates. 2002. The translocation of two critically endangered *Acacia* species. *Conservation Science Western Australia* 4 (3): 54-61.
- Morgan, J. W. 1999. Have tubestock plantings successfully established populations of rare grassland species into reintroduction sites in western Victoria? *Biological Conservation* 89: 235-243.
- Morgan, J. W. 2000. Reproductive success in reestablished versus natural populations of a threatened grassland daisy (*Rutidosis leptorrhynchoides*). *Conservation Biology* 14: 780-785.
- Mueck, B. S. G. 2000. Translocation of Plains Rice-flower (*Pimelea spinescens* ssp. *spinescens*), Laverton, Victoria. *Ecological Management & Restoration* 1: 111-116.
- Probert, R., J. Adams, J. Coneybeer, A. Crawford, and F. Hay. 2007. Seed quality for conservation is critically affected by pre-storage factors. *Australian Journal of Botany* 55: 326-335.
- Scade, A., M. C. Brundrett, A. L. Batty, K. W. Dixon, and K. Sivasithamparam. 2006. Survival of transplanted terrestrial orchid seedlings in urban bushland habitats with high or low weed cover. *Australian Journal of Botany* 54: 383-389.
- Smith, Z. F., E. A. James, M. J. McDonnell, and C. B. McLean. 2009. Planting conditions improve translocation success of the endangered terrestrial orchid *Diuris fragrantissima* (Orchidaceae). *Australian Journal of Botany* 57: 200-209.
- Taylor, H., K. Kershaw, G. Durell, A. Brown, J. Buegge, and B. Beecham. 2010. Bailey's Symonanthus (*Symonanthus bancroftii*) recovery plan. WA Interim Recovery Plan No 225.
- Vallee, L., T. Hogbin, L. Monks, B. Makinson, M. Matthes, and M. Rossetto 2004. Guidelines for the translocation of threatened plants in Australia. 2nd Edition, Canberra, Australia.
- Wright, M., R. Cross, K. Dixon, T. Huynh, A. Lawrie, L. Nesbitt, A. Pritchard, N. Swarts, and R. Thomson. 2009. Propagation and reintroduction of *Caladenia*. *Australian Journal of Botany* 57: 373-387.
- Ye, Q., E. Bunn, S. L. Krauss, and K. W. Dixon. 2007. Reproductive success in a reintroduced population of a critically endangered shrub, *Symonanthus bancroftii* (Solanaceae). *Australian Journal of Botany* 55: 425-432.

Europa / Europe

- Abeli, T., G. Rossi, A. J. P. Smolders, and S. Orsenigo. 2014. Nitrogen pollution negatively affects *Stratiotes aloides* in Central-Eastern Europe. Implications for translocation actions. *Aquatic Conservation: Marine and Freshwater Ecosystems* 24: 724-729.
- Klimkowska, A., R. van Diggelen, J. P. Bakker, and A. P. Grootjans. 2007. Wet meadow restoration in Western Europe: A quantitative assessment of the effectiveness of several techniques. *Biological Conservation* 140: 318-328.
- Lepš, J., J. Doležal, T. M. Bezemer, V. K. Brown, K. Hedlund, M. Igual Arroyo, H. B. Jörgensen, C. S. Lawson, S. R. Mortimer, A. Peix Geldart, C. Rodríguez Barrueco, I. Santa Regina, P. Šmilauer, and W. H. van der Putten. 2007. Long-term effectiveness of sowing high and low diversity seed mixtures to enhance plant community development on ex-arable fields. *Applied Vegetation Science* 10: 97-110.
- Silva, J. P., J. Toland, W. Jones, J. Eldridge, E. Thorpe, E. O'Hara, and C. Thevignot. 2011. LIFE preventing species extinction: Safeguarding endangered flora and fauna through ex-situ conservation. Publication Office of the European Union, Luxembourg.

Belgien / Belgium

- Decler, K., D. Bonte, and R. van Diggelen. 2013. The hemiparasite *Pedicularis palustris*: 'Ecosystem engineer' for fen-meadow restoration. *Journal for Nature Conservation* 21: 65-71.

Deutschland / Germany

- **Arnica montana* - Revitalisierung und Nutzung als Heilpflanze im Bayerischen Vogtland und nördlichem Fichtelgebirge. (<http://arnikaprojekt-hof.de/projekt/projekttagbuch/>, 8 January 2016)
- *Artenagentur Schleswig-Holstein. Deutscher Verband für Landschaftspflege. (<http://artenagentur-sh.lpv.de/projekte/artenhilfsprojekte-flora.html>, 8 January 2016)
- *Bayerisches Landesamt für Umwelt. Das Galionsarten-Projekt - Zusammenarbeit von Botanischen Gärten und dem Landesamt für Umwelt. (http://www.lfu.bayern.de/natur/artenhilfsprogramm_botanik/galionsarten/index.htm, 8 January 2016)
- *Beck, L., and S. Brunzel. 2009. Erhaltung und Vermarktung "vergessener" Zier- und Arzneipflanzen sowie stark gefährdeter Anhang-II-Pflanzenarten der FFH-Richtlinie der Europäischen Union", Marburg. (<http://download.ble.de/05BM005.pdf>, 8 January 2016)
- Becker, T., and U. Becker. 2010. Successful transplantation of a hart's tongue fern population (*Asplenium scolopendrium* L.) with ten years of monitoring. *Tuexenia* 30: 47-58.
- Below, H. 2008. Monitoring der Vorkommen von *Oenanthe coniooides* (Schierlings-Wasserfenchel) nach der FFH-Richtlinie – Entwicklung der Populationen und kleiner Ansiedlungsmaßnahmen in Niedersachsen - Endbericht 2008. Niedersächsischer Landesbetrieb für Wasserwirtschaft, Küsten- und Naturschutz, Hamburg. Unveröff.
- Betz, C., M. Scheuerer, and C. Reisch. 2013. Population reinforcement - A glimmer of hope for the conservation of the highly endangered Spring Pasque flower (*Pulsatilla vernalis*). *Biological Conservation* 168: 161-167.
- Biewer, H., and P. Poschlod. 1997. Regeneration artenreicher Feuchtwiesen im Federseeried. *Projekt Angewandte Ökologie* 24, 1-323. Landesanstalt für Umweltschutz Baden-Württemberg, Karlsruhe.
- *Biosphärenreservat Oberlausitzer Heide- und Teichlandschaft. Projekte des Biosphärenreservates (<http://www.biosphärenreservat-oberlausitz.de/de/projekte>, 8 January 2016)

- Bissels, S., N. Hölzel, T. W. Donath, and A. Otte. 2004. Evaluation of restoration success in alluvial grasslands under contrasting flooding regimes. *Biological Conservation* 118: 641-650.
- Bolender, E., M. Bolender, E. Schall, J. Bolender, A. Bolender, S. Netzer, M. Gegenheimer, M. Werkmeister, A. Häusermann, R. Bauer, P. Junker, C. Mandl, M. Heinold, and R. Neubert. 2010. Ansiedlung der Wassernuss (*Trapa natans*) im LIFE-Natur-Projekt „Lebendige Rheinauen bei Karlsruhe“. Schlussbericht 2009. Regierung Karlsruhe, Referat 56.
- *Botanischer Garten, Karlsruher Institut für Technologie. (<http://www.botanik.uni-karlsruhe.de/garten/140.php>, 8 January 2016)
- Brunzel, S. 2010. Ex-situ-Kultivierung und In-situ-Management als Beitrag zum Artenschutz am Beispiel von Frauenschuh (*Cypripedium calceolus*), Sumpf-Gladiole (*Gladiolus palustris*), Böhmischer Enzian (*Gentianella bohemica*) und Karpaten-Enzian (*Gentianella lutescens*). *Naturschutz und Landschaftsplanung* 42: 148-156.
- Buchwald, R., A. Rath, M. Willen, and D. Gigante. 2007. Improving the quality of NATURA 2000-meadows: the contribution of seed bank and hay transfer. *Fitosociologia* 44: 313-319.
- *Buchwald, R., T. Roskamp, L. Steiner, and M. Willen. 2011. Wiederherstellung und Neuschaffung artenreicher Mähwiesen durch Mähgut-Aufbringung - ein Beitrag zum Naturschutz in intensiv genutzten Landschaften. Abschlussbericht (Dezember 2011). Arbeitsgruppe "Vegetationskunde und Naturschutz", Institut für Biologie und Umweltwissenschaften (IBU), Carl von Ossietzky-Universität Oldenburg. (<https://www.dbu.de/OPAC/ab/DBU-Abschlussbericht-AZ-23064.pdf>, 8 January 2016)
- *Buder, W., and D. Schulz. 2010. Farn- und Samenpflanzen. Bestandssituation und Schutz ausgewählter Arten in Sachsen. Sächsisches Landesamt für Umwelt, Landwirtschaft und Geologie, Dresden. (<https://publikationen.sachsen.de/bdb/artikel/11993/documents/12843>, 8 January 2016)
- Burkart, M., K. Alsleben, S. Lachmuth, J. Schumacher, R. Hofmann, F. Jeltsch, and F. M. Schurr. 2010. Recruitment requirements of the rare and threatened *Juncus atratus*. *Flora* 205: 583-589.
- Burmeier, S., and K. Jensen. 2009a. Experimental ecology and habitat specificity of the endangered plant *Apium repens* (Jacq.) Lag. at the northern edge of its range. *Plant Ecology and Diversity* 2: 65-75.
- *Diekmann, M. 2013. Klappertopf und Teufelskralle schützen: Praxisleitfaden für bedrohte Arten. (http://tu-dresden.de/die_tu_dresden/fakultaeten/fakultaet_mathematik_und_naturwissenschaften/fachrichtung_biologie/botanik/botanik/epobs#normal_Vorträge, 8 January 2016)
- Ditsch, F., and B. Ditsch 2006. Heimische Flora in Gefahr. Gefährdete Pflanzen Sachsens im Botanischen Garten der TU Dresden. Hrsg. Botanischer Garten der TU Dresden, Dresden.
- Donath, T. W., S. Bissels, N. Hölzel, and A. Otte. 2007. Large scale application of diaspore transfer with plant material in restoration practice – Impact of seed and microsite limitation. *Biological Conservation* 138: 224-234.
- Donath, T. W., N. Hölzel, and A. Otte. 2006. Influence of competition by sown grass, disturbance and litter on recruitment of rare flood-meadow species. *Biological Conservation* 130: 315-323.
- Ebel, F. 2006. Vom Aussterben gerettet: Gips-Fettkraut (gipsbewohnende Sippe von *Pinguicula vulgaris* L.). *Naturschutz im Land Sachsen-Anhalt* 43: 41-43.
- Ebel, F., and H.-G. Fuhrmann. 2010. Dokumentation der in Erhaltungskultur genommenen bzw. an einen naturnahen Standort ausgebrachten Pflanzensippen. Martin-Luther-Universität Halle-Wittenberg, Institut für Biologie, Bereich Geobotanik und Botanischer

- Garten, Schutzgarten im Biosphärenreservat Mittelelbe und Brockengarten im Nationalpark Harz. *Schlechtendalia* 20: 21-55.
- Ebel, F., and S. Rauschert. 1982. Die Bedeutung der Botanischen Gärten für die Erhaltung gefährdeter und vom Aussterben bedrohter heimischer Pflanzenarten. *Archiv für Naturschutz und Landschaftspflege* 22: 187-199.
- Frank, D., and H. John. 2007. Bunte Blumenwiesen – Erhöhung der Biodiversität oder Verstoß gegen Naturschutzrecht? *Mitteilungen zur floristischen Kartierung in Sachsen-Anhalt* 12: 31-45.
- Grell, H. 2007. Monitoring “Geltinger Birk – Pflanzen, Schmetterlinge, Libellen, Amphibien“. Endbericht i. A. des Staatlichen Umweltamtes Schleswig. Schleswig. Unveröff.
- Grell, H. 2008. Monitoring “Geltinger Birk – Pflanzen, Schmetterlinge, Libellen, Amphibien“. Unveröff. Endbericht i. A. des Staatlichen Umweltamtes Schleswig. Schleswig. Unveröff.
- *Habitatmanagement und Wiederansiedlungen der Sand-Silberschärpe in Sachsen-Anhalt. (<http://www.offenlandinfo.de/projekte/projektinhalte/habitatmanagement-und-wiederansiedlungen-der-sand-silberschärpe-in-sachsen-anhalt/>, 8 January 2016)
- Hellberg, F. 2005. Grundlagen zum Schutz von Englischer Kratzdistel (*Cirsium dissectum*) und Gräben-Weilchen (*Viola persicifolia*). Abschlussbericht i. A. des Senators für Bau, Umwelt und Verkehr, Freie Hansestadt Bremen. Unveröff.
- *Hölzel, M. 2013. Erprobung von Artenhilfsstrategien für botanische Zielarten des Osterzgebirges am Beispiel Oelsen. (http://tu-dresden.de/die_tu_dresden/fakultaeten/fakultaet_mathematik_und_naturwissenschaften/fachrichtung_biologie/botanik/botanik/epobs#normal_Vorträge, 8 January 2016)
- Hölzel, N., and N. Otte. 2003. Restoration of a species-rich flood meadow by topsoil removal and diaspore transfer with plant material. *Applied Vegetation Science* 6: 131-140.
- Horn, K., A. Kerskes, and W. Welsch. 2012. Erhaltungskulturen bedrohter Pflanzenarten im Botanischen Garten Erlangen – ein aktiver Beitrag zum Artenschutz. *RegnitzFlora - Mitteilungen des Vereins zur Erforschung der Flora des Regnitzgebietes* 5: 39-46.
- Jeschke, M., and K. Kiehl. 2006. Auswirkung von Renaturierungs- und Pflegemaßnahmen auf die Artenzusammensetzung und Artendiversität von Gefäßpflanzen und Kryptogamen in neu angelegten Kalkmagerrasen. *Tuexenia* 26: 223-242.
- *Karnivoren in Kultur. *P. vulgaris* var. *gypsophila* (Gips-Fettkraut) am Sekundärstandort NSG "Igelsumpf" bei Ellrich im Harz. (<http://www.karnivoren-in-kultur.de/Naturstandorte/Igelsumpf.html>, 8 January 2016)
- Kiehl, K., and J. Pfadenhauer. 2007. Establishment and persistence of target species in newly created calcareous grasslands on former arable fields. *Plant Ecology* 189: 31-48.
- Kiehl, K., A. Thormann, and J. Pfadenhauer. 2006. Evaluation of initial restoration measures during the restoration of calcareous grasslands on former arable fields. *Restoration Ecology* 14: 148-156.
- Kiehl, K., and C. Wagner. 2006. Effect of hay transfer on long-term establishment of vegetation and grasshoppers on former arable fields. *Restoration Ecology* 14: 157-166.
- Kienberg, O., L. Thill, and T. Becker. 2013. Wiederansiedlung von *Astragalus exscapus*, *Scorzonera purpurea* und *Pulsatilla pratensis* subsp. *nigricans* in Steppenrasen in Thüringen – Erste Ergebnisse eines laufenden Projektes. Beitrag im Tagungsband zur Steppenrasentagung, Erfurt, 04.06.2012 bis 06.06.2012. Unveröff.
- Klingenstein, F., M. von den Driesch, and W. Lobin. 2002. Bedeutung und Aktivitäten der Botanischen Gärten im ex-situ- und in-situ-Artenschutz in Deutschland auf Grundlage der Biodiversitäts-Konvention. *Schriftenreihe für Vegetationskunde* 36: 139-150.

- Koch, C., and J. Kollmann. 2012a. Clonal re-introduction of endangered plant species: The case of German false tamarisk in Pre-Alpine Rivers. *Environmental Management* 50: 217-225.
- Koch, C., and J. Kollmann. 2012b. Wiederansiedlung und Translokation regional ausgestorbener Pflanzenarten. *Naturschutz und Landschaftsplanung* 44: 77-82.
- Lütt, S. 2007a. Das Arnika-Projekt der Aukruger Landfrauen. Jagd und Artenschutz. *Ministerium für Landwirtschaft, Umwelt und ländliche Räume des Landes Schleswig-Holstein, Jahresbericht 2007*: 94-96.
- Lütt, S. 2007b. Wiederansiedlung von 60 Wildpflanzenarten in Schleswig-Holstein: Das Jubiläumsprojekt des LandFrauenVerbandes. *Kieler Notizen zur Pflanzenkunde* 35: 60-71.
- Lütt, S. 2009. (Wieder-) Ansiedlungsprojekte von gefährdeten Pflanzenarten in Schleswig-Holstein. *Kieler Notizen zur Pflanzenkunde* 36: 119-129.
- Lütt, S. 2010. (Wieder)ansiedlungsprojekte von gefährdeten Pflanzenarten in Schleswig-Holstein. *Mitteilungen aus der NNA* 1: 4-10.
- *Lütt, S. 2013. Wiederansiedlungen in Schleswig-Holstein: Bestandteil einer integrativen Biodiversitätsstrategie. (http://tu-dresden.de/die_tu_dresden/fakultaeten/fakultaet_mathematik_und_naturwissenschaften/fachrichtung_biologie/botanik/botanik/epobs#normal_Vortraege, 8 January 2016)
- Müller, J. 1999. Wiedereinbürgerung von gefährdeten Pflanzenarten - Einpassung und Populationsentwicklung. *Abhandlungen des Naturwissenschaftlichen Vereins zu Bremen* 44: 559-578.
- Müller, N. 2007. Zur Wiederansiedlung des Zwergrohrkolbens (*Typha minima* Hoppe) in den Alpen – eine Zielart alpiner Flusslandschaften. *Natur in Tirol* 13: 180-193.
- Neubecker, J. 2002. Das E+E-Vorhaben Schierlings-Wasserfenchel – eine Projektevaluation. *Schriftenreihe für Vegetationskunde* 36: 125-129.
- Obst, G., and J. Neubecker. 2008. Ansiedlungen des Schierlings-Wasserfenchels am Elbufer zwischen Hetlingen und Bishorst, Monitoring der Ansiedlungsmaßnahmen 2007. Büro Planula. Unveröff.
- *Portal für Erhaltungskulturen einheimischer Wildpflanzen. Verband Botanischer Gärten. (<http://www.ex-situ-erhaltung.de/>, 8 January 2016)
- Radkowsch, A. 2010. Ungewöhnliche Partnerschaften im Artenschutz oder wie der Kleefarn zu kulinarischen Genüssen beiträgt. In: *Lebendige Rheinauen*, S. 351-355. Verlag Regionalkultur.
- Rickert, B.-H., and H. Drews. 2009. Ein erster Schritt zu einem Populationsmanagement für *Pulsatilla pratensis* (L.) Mill in Schleswig-Holstein? *Kieler Notizen zur Pflanzenkunde* 36 (2): 37-41.
- Röder, D., and K. Kiehl. 2007. Ansiedlung von lebensraumtypischen Pflanzen in neu angelegten Kalkmagerrasen. *Naturschutz und Landschaftspflege* 39: 304-310.
- Röder, N., and K. Kiehl. 2008. Vergleich des Zustandes junger und historisch alter Populationen von *Pulsatilla patens* (L.) Mill. in der Münchner Schotterebene *Tuexenia* 28: 121-132.
- Romahn, K. 2010. Die Arnika im Käfig - einige kritische Überlegungen zu (Wieder)ansiedlungen gefährdeter Pflanzenarten. *Mitteilungen aus der NNA* 1: 11-15.
- Scheuerer, M., and J. Späth. 2005. Erfolgreiche Artenhilfsmaßnahmen für die in Deutschland vom Aussterben bedrohte *Adenophora liliifolia* (Campanulaceae). *Hoppea* 66: 503-531.
- Schmiede, R., T. W. Donath, and A. Otte. 2009. Seed bank development after the restoration of alluvial grassland via transfer of seed-containing plant material. *Biological Conservation* 142: 404-413.

- Schmiede, R., A. Otte, and T. W. Donath. 2012. Enhancing plant biodiversity in species-poor grassland through plant material transfer - the impact of sward disturbance. *Applied Vegetation Science* 15: 290-298.
- *Schulz, D. 2013. Ziele des botanischen Artenschutzes in Sachsen und Maßnahmen zur Populationsstützung. (http://tu-dresden.de/die_tu_dresden/fakultaeten/fakultaet_mathematik_und_naturwissenschaften/fachrichtung_biologie/botanik/botanik/epobs#normal_Vortrage, 8 January 2016)
- Schwarzberg, B. 2008. Artenhilfsmaßnahme für die „Gipsrasse“ des Echten Fettkrautes im NSG „Alter Stolberg“ (Landkreis Nordhausen). *Landschaftspflege und Naturschutz in Thüringen* 45: 62-67.
- Stuhr, J., and K. Jödicke. 2009. FFH Monitoring Höherer Pflanzen, Zwischenbericht 2009. Unveröff. Gutachten i. A. des Ministeriums für Landwirtschaft, Umwelt und Ländliche Räume Schleswig-Holsteins, Kiel.
- *Von Brackel, W. 2010. Erfolgskontrolle von AHP-Maßnahmen für stark bedrohte Strandrasenarten am Bodensee und Starnberger See. Gutachten im Auftrag des Bayerischen Landesamtes für Umwelt, 29 S. Augsburg. (http://www.lfu.bayern.de/natur/artenhilfsprogramm_botanik/projektkatalog/doc/2010/brackel_2010_strandrasen_steckbrief.pdf, 8 January 2016)
- Zahlheimer, W. 2009. 12. Artenschutz- und -stützmaßnahmen in Niederbayern: Florenvielfalt am finanziellen Tropf. *Naturschutz in Niederbayern* 6: 92-113.
- *Zahlheimer, W. 2013. Ansiedlung hochbedrohter Gefäßpflanzensippen in Bayern am Beispiel Niederbayerns. (http://tu-dresden.de/die_tu_dresden/fakultaeten/fakultaet_mathematik_und_naturwissenschaften/fachrichtung_biologie/botanik/botanik/epobs#normal_Vortrage, 8 January 2016)
- Zauft, M., J. Ruffer, and H. Röbling. 2012. Das LIFE-Natur Projekt "Kalkmoore Brandenburgs" – ein Zwischenstand. *Telma* 42: 121-136.
- *Zipp, T. 2011. Maßnahmen zur Verbesserung der Bestandssituation von *Gentianella bohemica* im Bayerischen Wald. Page 22. Unveröff. Gutachten. Bayerisches Landesamt für Umwelt, Augsburg. (http://www.lfu.bayern.de/natur/artenhilfsprogramm_botanik/projektkatalog/doc/2011/zipp_2011_gentianella_bohemica_steckbrief.pdf, 8 January 2016)
- *Zipp, T. 2012. Zusammenfassung des Gutachtens: Maßnahmen zur Verbesserung der Bestandssituation von *Gentianella bohemica* im Bayerischen Wald 2012. Bayerischen Landesamtes für Umwelt (LfU) Augsburg. S.21. (http://www.lfu.bayern.de/natur/artenhilfsprogramm_botanik/projektkatalog/doc/2012/zipp_2012_gentianella_bohemica_steckbrief.pdf, 8 January 2016)

Estland / Estonia

- Aguraiuja, R. 2011. Reintroduction of the endangered fern species *Woodsia ilvensis* to Estonia: a long-term pilot study. *Biodiversity and Conservation* 20: 391-400.
- Jõgar, Ü., and M. Moora. 2008. Reintroduction of a rare plant (*Gladiolus imbricatus*) population to a river floodplain - How important is meadow management? *Restoration Ecology* 16: 382-385.
- Lanno, K., and M. Sammul. 2014. The survival of transplants of rare *Ligularia sibirica* is enhanced by neighbouring plants. *Folia Geobotanica* 49: 163-173.

Frankreich / France

- Aboucaya, A., I. Guyot, C. Piazza, and M. Virevaire. 1999. Plans de gestion conservatoire mis en place en Corse pour cinq espèces végétales endémiques et prioritaires de la

- directive «Habitats». *Bulletin de la Société Botanique du Centre-Ouest Numéro spécial* 19: 251-278.
- Arnold, C., A. Schnitzler, A. Douard, R. Peter, and F. Gillet. 2005. Is there a future for wild grapevine (*Vitis vinifera* subsp. *silvestris*) in the Rhine Valley? *Biodiversity and Conservation* 14: 1507-1523.
- Bottin, L., S. Le Cadre, A. Quilichini, P. Bardin, J. Moret, and N. Machon. 2007. Re-establishment trials in endangered plants: A review and the example of *Arenaria grandiflora*, a species on the brink of extinction in the Parisian region (France). *Ecoscience* 14: 410-419.
- Buisson, E., E. Corcket, and T. Dutoit. 2015. Limiting processes for perennial plant reintroduction to restore dry grasslands. *Restoration Ecology* 23: 947-954.
- Coiffait-Gombault, C., E. Buisson, and T. Dutoit. 2012. Using a two-phase sowing approach in restoration: sowing foundation species to restore, and subordinate species to evaluate restoration success. *Applied Vegetation Science* 15: 277-289.
- Colas, B., F. Kirchner, M. Riba, I. Olivieri, A. Mignot, E. Imbert, C. Beltrame, D. Carbonell, and H. Fréville. 2008. Restoration demography: a 10-year demographic comparison between introduced and natural populations of endemic *Centaurea corymbosa* (Asteraceae). *Journal of Applied Ecology* 45: 1468-1476.
- Jarri, B. 1999. Sauvetage et renforcement d'une population de *Vaccinium oxycoccos* en Mayenne. *Bulletin de la Société Botanique du Centre-Ouest* 19: 502-507.
- Kirchner, F., A. Robert, and B. Colas. 2006. Modelling the dynamics of introduced populations in the narrow-endemic *Centaurea corymbosa*: a demo-genetic integration. *Journal of Applied Ecology* 43: 1011-1021.
- Maurice, A. C., J. Abdelkrim, M. Cisel, M. Zavodna, P. Bardin, A. Matamoro, R. Dumez, and N. Machon. 2013. Mixing plants from different origins to restore a declining population: Ecological outcomes and local perceptions 10 years later. *Plos One* 8: 1-10.
- Müller, S. 2009. Recovery success of the nationally threatened and protected wetland plant species *Calla palustris* L. in the Vosges Mountains. *Revue d'Ecologie - La Terre et la Vie* 64: 117-122.
- Oliver, L. 1979. Multiplication and re-introduction of threatened species of the littoral dunes in Mediterranean France. In: H. Synge, and H. Townsend, editors. *Survival or extinction*. Royal Botanic Gardens, Kew.
- Zavodna, M., J. Abdelkrim, V. Pellisier, and N. Machon. 2016. A long-term genetic study reveals complex population dynamics of multiple-source plant reintroductions. *Biological Conservation* 192: 1-9.

Großbritannien / United Kingdom

- Ash, H. J., R. P. Gemmill, and A. D. Bradshaw. 1994. The introduction of native plant species on industrial waste heaps: A test of immigration and other factors affecting primary succession. *Journal of Applied Ecology* 31: 74-84.
- Baker, K., P. Lambdon, P., E. Jones, J. Pellicer, S. Stroud, O. Renshaw, M. Niissalo, M. Corcoran, C. Clubbe, and V. Sarasan. 2014. Rescue, ecology and conservation of a rediscovered island endemic fern (*Anogramma ascensionis*): ex situ methodologies and a road map for species reintroduction and habitat restoration. *Botanical Journal of the Linnean Society* 174: 461-477.
- Bullock, J. M. 1998. Community translocation in Britain: Setting objectives and measuring consequences. *Biological Conservation* 84: 199-214.
- Bullock, J., and R. Pywell. 2005. *Rhinanthus*: a tool for restoring diverse grassland? *Folia Geobotanica* 40: 273-288.

- Cavers, P. B., and J. L. Harper. 1967. Studies in the dynamics of plant populations: I. The fate of seed and transplants introduced into various habitats. *Journal of Ecology* 55: 59-71.
- Coulson, S. J., J. M. Bullock, M. J. Stevenson, and R. F. Pywell. 2001. Colonization of grassland by sown species: dispersal versus microsite limitation in responses to management. *Journal of Applied Ecology* 38: 204-216.
- Cranston, D. M., and D. H. Valentine. 1983. Transplant experiments on rare plant species from Upper Teesdale. *Biological Conservation* 26: 175-191.
- Dalrymple, S. E., and A. Broome. 2010. The importance of donor population identity and habitat type when creating new populations of small cow-wheat *Melampyrum sylvaticum* from seed in Perthshire, Scotland. *Conservation Evidence* 7: 1-8.
- Dalrymple, S. E., A. Broome, and P. Gallagher. 2008. Re-introduction of small cow-wheat into the Scottish Highlands, UK. In: Soorae, P. S. (Ed.), Global re-introduction perspectives: re-introduction case studies from around the globe, pp. 221-224. IUCN/SSC Re-introduction Specialist Group, Abu Dhabi, UAE, Abu Dhabi.
- Davies, A., N. P. Dunnett, and T. Kendle. 1999. The importance of transplant size and gap width in the botanical enrichment of species-poor grasslands in Britain. *Restoration Ecology* 7: 271-280.
- Dyer, A. F. 1994. Natural soil spore banks - can they be used to retrieve lost ferns. *Biodiversity and Conservation* 3: 160-175.
- Edwards, A. R., S. R. Mortimer, C. S. Lawson, D. B. Westbury, S. J. Harris, B. A. Woodcock, and V. K. Brown. 2007. Hay strewing, brush harvesting of seed and soil disturbance as tools for the enhancement of botanical diversity in grasslands. *Biological Conservation* 134: 372-382.
- Good, J. E. G., H. L. Wallace, P. A. Stevens, and G. L. Radford. 1999. Translocation of herb-rich grassland from a site in Wales prior to opencast coal extraction. *Restoration Ecology* 7: 336-347.
- * Hewitt, R. 2012. Rare aquatic plant reintroduced. (<http://www.actforwildlife.org.uk/blog/blog/post/99-rare-aquatic-plant-reintroduced>, 8 January 2016)
- Jones, A. T., and M. J. Hayes. 1999. Increasing floristic diversity in grassland: the effects of management regime and provenance on species introduction. *Biological Conservation* 87: 381-390.
- Kohn, D., and P. Lusby. 2004. Translocation of twinflower (*Linnaea borealis* L.) in the Scottish Borders. *Botanical Journal of Scotland* 56: 25-37.
- Leonard, Y. 2006a. Reintroduction of perennial knawel *Scleranthus perennis* along a conservation path at Santon Downham, Suffolk, England. *Conservation Evidence* 3: 11-12.
- Leonard, Y. 2006b. Reintroduction of perennial knawel *Scleranthus perennis prostratus* to a site in the Brecklands of north Suffolk, England. *Conservation Evidence* 3: 13-14.
- Leonard, Y. 2006c. Reintroduction of perennial knawel *Scleranthus perennis prostratus* to sheep-grazed grassheath at West Stow, Suffolk, England. *Conservation Evidence* 3: 15-16.
- Leonard, Y. 2006d. Reintroduction of perennial knawel *Scleranthus perennis prostratus* to Thetford National Nature Reserve, Norfolk, England. *Conservation Evidence* 3: 9-10.
- Leonard, Y. 2006e. Soil disturbance and seedling transplanting as a method of reintroduction of perennial knawel *Scleranthus perennis* at Icklingham, Suffolk, England. *Conservation Evidence* 3: 17-18.
- Lusby, P., S. Lindsay, and A. F. Dyer. 2002. Principles, practice and problems of conserving the rare British fern *Woodsia ilvensis* (L.) R. Br. *Fern Gazette* 16: 350.
- Mardon, D. K. 2003. Conserving montane willow scrub on Ben Lawers NNR. *Botanical Journal of Scotland* 55: 189-203.

- McDonald, A. W., and C. R. Lambrick. 2006. *Apium repens* creeping marshwort species recovery programme 1995-2005. English Nature, Peterborough, England.
- McHaffie, H. S. 2005. Re-introduction of a rare fern: oblong woodsia at four sites in the UK. *Re-introduction News* 24: 48-50.
- McHaffie, H. S. 2006. A reintroduction programme for *Woodsia ilvensis* (L.) R. Br. in Britain. *Botanical Journal of Scotland* 58: 75-80.
- Mitchell, R. J., R. J. Rose, and S. C. F. Palmer. 2008. Restoration of *Calluna vulgaris* on grass-dominated moorlands: The importance of disturbance, grazing and seeding. *Biological Conservation* 141: 2100-2111.
- Morris, M. 1980. *Cotoneaster integerrimus* - a conservation exercise. *Nature in Wales* 17: 19-22.
- Parker, D. M. 1982. The conservation, by restocking, of *Saxifraga cespitosa* in North Wales. *Watsonia* 14: 104-105.
- Pigott, C. D. 1988. The reintroduction of *Cirsium tuberosum* (L.) All. in Cambridgeshire. *Watsonia* 17: 149-152.
- Porley, R. 2005. Translocation of *Carex vulpina*, Murcott Meadows SSSI, Oxfordshire. English Nature, UK. Unveröff.
- Pywell, R. F., J. M. Bullock, J. B. Tallowin, K. J. Walker, E. A. Warman, and G. Masters. 2007. Enhancing diversity of species-poor grasslands: an experimental assessment of multiple constraints. *Journal of Applied Ecology* 44: 81-94.
- Pywell, R. F., J. M. Bullock, K. J. Walker, S. J. Coulson, S. J. Gregory, and M. J. Stevenson. 2004. Facilitating grassland diversification using the hemiparasitic plant *Rhinanthus minor*. *Journal of Applied Ecology* 41: 880-887.
- Rawes, M., and D. Welch. 1972. Trials to recreate floristically-rich vegetation by plant introduction in the Northern Pennines, England. *Biological Conservation* 4: 135-140.
- Rich, T. C. G., C. Gibson, and M. Marsden. 1999. Re-establishment of the extinct native plant *Filago gallica* L. (Asteraceae), narrow-leaved cudweed, in Britain. *Biological Conservation* 91: 1-8.
- Smith, B. M., A. Diaz, L. Winder, and R. Daniels. 2005. The effect of provenance on the establishment and performance of *Lotus corniculatus* L. in a re-creation environment. *Biological Conservation* 125: 37-46.
- Stevenson, M. J., J. M. Bullock, and L. K. Ward. 1995. Re-creating semi-natural communities: Effect of sowing rate on establishment of calcareous grassland. *Restoration Ecology* 3: 279-289.
- Walker, K. J., P. A. Stevens, D. P. Stevens, J. O. Mountford, S. J. Manchester, and R. F. Pywell. 2004. The restoration and re-creation of species-rich lowland grassland on land formerly managed for intensive agriculture in the UK. *Biological Conservation* 119: 1-18.
- Walter, M. 2005. Transplanting and sowing seed of common cow-wheat *Melampyrum pratense* to increase its distribution at Blean Woods RSPB Reserve, Kent, England. *Conservation Evidence* 2: 41-42.

Irland / Ireland

- Roche, J. R., F. J. G. Mitchell, and S. Waldren. 2009. Plant community ecology of *Pinus sylvestris*, an extirpated species reintroduced to Ireland. *Biodiversity and Conservation* 18: 2185-2203.

Italien / Italy

- Abeli, T., E. Barni, C. Siniscalco, C. Amosso, and G. Rossi. 2012. A cost-effective model for preliminary site evaluation for the reintroduction of a threatened quillwort. *Aquatic Conservation: Marine and Freshwater Ecosystems* 22: 66-73.

- Accogli, R., S. Marchiori, P. Medagli, and F. Ippolito. 2001. Ex situ conservation of plants in the Red List of Apulia: preliminary results. *Options Méditerranéennes A* 47: 13-26.
- Accogli, R., P. Medagli, and S. Marchiori. 2006. Riproduzione "ex situ" e reintroduzione "in situ" de *Pericloa greca* L. nella Riserva Naturale "Le Cesine" (Lecce). *Informatore Botanico Italiano* 38: 415-418.
- Bonafede, F., D. Dallai, C. Del Prete, and L. Maffettone. 2002. *Marsilea quadrifolia* in Emilia-Romagna: distribuzione, ecologia e problematiche di conservazione integrata in situ/ex situ. *Atti della Società dei Naturalisti e Matematici di Modena* 133: 183-211.
- Crosti, R., and G. Fabrini. 2010. Integrated conservation of the rare and endangered thermophilous species *Cyperus polystachyus*: investigation on recruitment strategies and short-term assessment of translocation. *Annali di Botanica* 0: 1-10.
- Dallai, D., C. Del Prete, E. Sgarbi, and M. Grimaudo. 2010. Integrated in situ / ex situ plant conservation practices managed by University Botanic Garden of Modena. *Bollettino dei Musei e Degli Istituti Biologici dell'Università di Genova* 72: 33-42.
- De Vitis, M., C. E. Seal, T. Ulian, H. W. Pritchard, S. Magrini, G. Fabrini, and E. Mattana. 2014. Rapid adaptation of seed germination requirements of the threatened Mediterranean species *Malcolmia littorea* (Brassicaceae) and implications for its reintroduction. *South African Journal of Botany* 94: 46-50.
- Dominione, V., G. Rossi, B. Foggi, and G. Parolo. 2005. Verso un archivio Nazionale degli interventi di reintroduzione delle piante minacciate della flora spontanea italiana: prima realizzazione di un sito web. *Informatore Botanico Italiano* 37: 130-131.
- *Fondazione Cariplo. Mitigazione degli effetti del cambiamento climatico sulla flora lombarda e del Piemonte nord orientale attraverso progetti pilota di reintroduzione. (www.parcobarro.it/centroflora/mitigazione/index.html, 8 January 2016)
- Gratani, L., M. F. Crescente, G. Fabrini, A. Bonito, and L. Varone. 2009. Growth analysis of a reestablished population versus a natural population of *Bidens cernua* L. *Plant Biosystems* 143: 63-68.
- *Pierce, S. 2011. La conservazione delle orchidee spontanee lombarde. Page 20 in R. M. Ceriani, editor. Officina grafica in Annone B.za, Oggiono-Lecco. (http://www.parcobarro.lombardia.it/_cfa/images/stories/CFA/pdf/opuscolo_orchis_it.pdf, 8 January 2016)
- Piotto, B., V. Giacanelli, and S. Ercole (Hrsg.) 2010. La conservazione ex situ della biodiversità delle specie vegetali spontanee e coltivate in Italia. Stato dell'arte, criticità e azioni da compiere. Manuali e linee guida ISPRA. 54/2010.
- Rinaldi, G. and G. Rossi. (Hrsg.), 2005. Orti botanici, conservazione e reintroduzione della flora spontanea in Lombardia. Quaderni della Biodiversità 2. Centro Regionale per la Flora Autoctona, Scuola Regionale di Ingegneria Naturalistica. Regione Lombardia.
- *Rossi, G., and C. Bonomi. 2007. A review of plant reintroduction practice. 5th European Conference on the Conservation of wild plants in Europe "Working together for plants", Cluj-Napoca. (http://www.plants2020.net/files/Plants2020/national_responses/new_european_strategy_for_plant_conservation_20082014.pdf, 8 January 2016)
- *Rossi, G., and V. Dominione. Reintroduzione di *Leucojum aestivum* L. in Pianura Padana. (<http://www-3.unipv.it/labecove/Downloads/ReintroduzioneLeucojum.pdf>, 8 January 2016)
- * Rossi, G., P. Grossoni, V. Dominione, B. Foggi, and C. Miniati. L'Archivio Nazionale degli interventi di reintroduzione delle piante minacciate della flora spontanea italiana: sviluppi e prospettive. (<http://www-3.unipv.it/labecove/conservazione/insitu.htm>, 8 January 2016)

Sgarbi, E., C. Del Prete, L. Ronconi, and D. Dallai. 2001. Asymbiotic micropropagation of wild Italian orchids from seed to plant in a project for in situ reintroduction. *Journal Europäischer Orchideen* 33: 395-401.

Luxemburg / Luxembourg

Reckinger, C., G. Colling, and D. Matthies. 2010. Restoring populations of the endangered plant *Scorzonera humilis*: Influence of site conditions, seed source, and plant stage. *Restoration Ecology* 18: 904-913.

Niederlande / Netherlands

Kooijman, A. M., B. Beltman, and V. Westhoff. 1994. Extinction and reintroduction of the bryophyte *Scorpidium scorpiodes* in a rich-fen site in the Netherlands. *Biological Conservation* 69: 87-96.

Luijten, S. H., M. Kéry, J. G. B. Oostermeijer, and H. C. M. Den Nijs. 2002. Demographic consequences of inbreeding and outbreeding in *Arnica montana*: a field experiment. *Journal of Ecology* 90: 593-603.

Vergeer, P., E. Sonderen, and N. J. Ouborg. 2004. Introduction strategies put to the test: Local adaptation versus heterosis. *Conservation Biology* 18: 812-821.

Vergeer, P., L. J. L. van den Berg, J. G. M. Roelofs, and N. J. Ouborg. 2005. Single-family versus multi-family introductions. *Plant Biology* 7: 509-515.

Norwegen / Norway

Losvik, M. H., and I. Austad. 2002. Species introduction through seeds from an old, species-rich hay meadow: Effects of management. *Applied Vegetation Science* 5: 185-194.

Österreich / Austria

Engleder, T. 2006. Der Böhmisches Kranzenzian / *Gentianella bohemica* (Gentianaceae) im österreichischen Teil der Böhmisches Masse (Böhmerwald, Mühl- und Waldviertel). *Neulreichia* 4: 215-220.

*Engleder, T. 2010. Artenhilfsprojekt / Böhmisches Enzian / Bericht 2009. Pages 1-52. (http://www.land-oberoesterreich.gv.at/files/naturschutz_db/enzianundco_bericht2009.pdf, 8 January 2016)

Polen / Poland

Klimkowska, A., W. Kotowski, R. van Diggelen, A. P. Grootjans, P. Dzierża, and K. Brzezińska. 2010. Vegetation re-development after fen meadow restoration by topsoil removal and hay transfer. *Restoration Ecology* 18: 924-933.

Kucharczyk, M., and E. Teske. 1996. Active protection of extremely small populations of plants: *Primula vulgaris* Hudson. *Bulletin of the Polish Academy of Sciences Biological Sciences* 44: 121-125.

Schweden / Sweden

Ehrlén, J., Z. Münzbergová, M. Diekmann, and O. Eriksson. 2006. Long-term assessment of seed limitation in plants: results from an 11-year experiment. *Journal of Ecology* 94: 1224-1232.

Lindborg, R. 2005. Recreating grasslands in Swedish rural landscapes – Effects of seed sowing and management history. *Biodiversity and Conservation* 15: 957-969.

Münzbergová, Z., M. Mildén, J. Ehrlén, and T. Herben. 2005. Population viability and reintroduction strategies: A spatially explicit landscape-level approach. *Ecological Applications* 15: 1377-1386.

Wallin, L., B. M. Svensson, and M. Lönn. 2009. Artificial dispersal as a restoration tool in meadows: Sowing or planting? *Restoration Ecology* 17: 270-279.

Schweiz / Switzerland

Fattorini, M. 2001. Establishment of transplants on machine-graded ski runs above timberline in the Swiss Alps. *Restoration Ecology* 9: 119-126.

*Flöss, I., and A. Keel. 2004. Aktionsplan Kleiner Rohrkolben (*Typha minima* Hoppe). Amt für Landschaft und Natur, Fachstelle Naturschutz, Kanton Zürich. Pages 1-19. (http://natur4ort.ch/fileadmin/user_upload/Documente/download/Artenfoerderung_Fl_ZH/Kleiner_Rohrkolben_Typha_minima_AP.pdf, 8 January 2016)

Galeuchet, D. J., and R. Holderegger. 2005. Erhaltung und Wiederansiedlung des Kleinen Rohr-Kolbens (*Typha minima*) - Vegetationsaufnahmen, Monitoring und genetische Herkunftsanalysen. *Botanica Helvetica* 115: 15-32.

*Marti, K. 2013. Ex-situ Vermehrung & Ansiedlung v. Aktionsplanarten Flora d. Fachstelle Naturschutz des Kantons Zürich. (http://tu-dresden.de/die_tu_dresden/fakultaeten/fakultaet_mathematik_und_naturwissenschaften/fachrichtung_biologie/botanik/botanik/epobs#normal_Vorträge, 8 January 2016)

Noël, F., D. Prati, M. van Kleunen, A. Gygas, D. Moser, and M. Fischer. 2011. Establishment success of 25 rare wetland species introduced into restored habitats is best predicted by ecological distance to source habitats. *Biological Conservation* 144: 602-609.

Werner, P. 1998. Essais de réintroduction de la petite massette (*Typha minima*) sur le Rhône de Finges, VS. *Bulletin de la Murithienne Société Valaisanne des Sciences Naturelles* 116: 57-67.

Serbien / Serbia

Misic, D. M., N. A. Ghalawenji, D. V. Grubisic, and R. M. Konjevic. 2005. Micropropagation and reintroduction of *Nepeta rtanjensis*, an endemic and critically endangered perennial of Serbia. *Phyton: Annales Rei Botanicae* 45: 9-20.

Spanien / Spain

Cursach, J., and J. Rita. 2012. Reproductive biology of *Ranunculus weyleri* (Ranunculaceae), a narrowly endemic plant from the Balearic Islands with disjunct populations. *Flora* 207: 726-735.

Fraga, P. 2000. Intentos de reintroducción de *Lysimachia minoricensis* J. J. Rodr. en Menorca. *Conservación Vegetal* 5: 12.

Rita, J., and J. Cursach. 2013. Creating new populations of *Apium bermejoi* (Apiaceae), a critically endangered endemic plant on Menorca (Balearic Islands). *Anales del Jardín Botánico de Madrid* 70: 27-38.

Sainz-Ollero, H., and J. E. Hernandez- Bermejo. 1979. Experimental reintroductions of endangered plant species in their natural habitats in Spain. *Biological Conservation* 16: 195-206.

Valdés, B. 2011. Plant species protection in Spain, with especial reference to Spanish Mediterranean Islands. *Naturalista Siciliano* 35: 79-86.

Tschechien / Czech Republic

Adamec, L. 2005. Ten years after the introduction of *Aldrovanda vesiculosa* to the Czech Republic. *Acta Botanica Gallica* 152: 239-245.

Adamec, L., and J. Lev. 1999. The introduction of the aquatic carnivorous plant *Aldrovanda vesiculosa* to new potential sites in the Czech Republic: A five-year investigation. *Folia Geobotanica* 34: 299-305.

Jongepierová, I., J. Mitchley, and J. Tzanopoulos. 2007. A field experiment to recreate species rich hay meadows using regional seed mixtures. *Biological Conservation* 139: 297-305.